



AQA Academic Scheme of Work

This customised scheme of work is designed to show how you can integrate EzyScience into your lesson plans over the course of the academic year.

For each section of the **AQA** specification, it outlines the relevant course materials available on our platform and the approximate timings associated with completing these materials. For each resource there is a corresponding link attached, taking you to the relevant page on the EzyScience platform.

This document also provides you with an opportunity to integrate some of your existing class materials used in lessons into this scheme of work.

Energy

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.1.1 Energy changes in a system, and the ways energy is stored before and after such changes</p> <p>4.1.1.1 Energy stores and systems</p> <p>A system is an object or group of objects.</p> <p>There are changes in the way energy is stored when a system changes.</p> <p>Students should be able to describe all the changes involved in the way energy is stored when a system changes, for common situations. For example:</p> <ul style="list-style-type: none"> • an object projected upwards • a moving object hitting an obstacle • an object accelerated by a constant force • a vehicle slowing down • bringing water to a boil in an electric kettle. <p>Throughout this section on Energy students should be able to calculate the changes in energy involved when a system is changed by:</p> <ul style="list-style-type: none"> • heating • work done by forces • work done when a current flows • use calculations to show on a common scale how the overall energy in a system is redistributed when the system is changed. 	EN1.1 – Principles of Energy	LV (10 mins)	This video identifies some key forms of energy and discusses examples of transfers between them.
	EN1.1a – Principles of Energy	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the most common forms of energy and of transfers between them.
<p>4.1.1.2 Changes in energy</p> <p>Students should be able to calculate the amount of energy associated with a moving object, a stretched spring and an object raised above ground level.</p> <p>The kinetic energy of a moving object can be calculated using the equation:</p> <p>kinetic energy = 0.5 × mass × (speed)²</p> $E_k = \frac{1}{2} m v^2$ <p>kinetic energy, E_k, in joules, J</p> <p>mass, m, in kilograms, kg</p> <p>speed, v, in metres per second, m/s</p>	EN1.2 – Kinetic Energy	LV (5 mins, 50 s)	This video defines kinetic energy and explains and demonstrates how to calculate it.
	EN1.2a – Kinetic Energy	10 Qs (1 hour)	This assessment provides opportunities to practise the use of the equation for kinetic energy and includes the use of standard form.

Energy

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.1.1.2 Changes in energy</p> <p>The amount of elastic potential energy stored in a stretched spring can be calculated using the equation:</p> <p>elastic potential energy = $0.5 \times \text{spring constant} \times \text{extension}^2$</p> $E_e = \frac{1}{2} k e^2$ <p>(assuming the limit of proportionality has not been exceeded)</p> <p>elastic potential energy, E_e, in joules, J</p> <p>spring constant, k, in newtons per metre, N/m</p> <p>extension, e, in metres, m</p>	EN1.3 – Elastic Potential Energy	LV (6 mins, 10 s)	This video defines elastic potential energy and explains and demonstrates how to calculate it and use the equation to solve problems.
	EN1.3a – Elastic Potential Energy	10 Qs (1 hour)	This assessment provides opportunities to practise the use of the equation for kinetic energy and includes the rearrangement of the equation.
<p>4.1.1.2 Changes in energy</p> <p>The amount of gravitational potential energy gained by an object raised above ground level can be calculated using the equation:</p> <p>g. p. e. = mass \times gravitational field strength \times height</p> $E_p = m g h$ <p>gravitational potential energy, E_p, in joules, J</p> <p>mass, m, in kilograms, kg</p> <p>gravitational field strength, g, in newtons per kilogram, N/kg (In any calculation the value of the gravitational field strength (g) will be given.)</p> <p>height, h, in metres, m</p>	EN1.4 – Gravitational Potential Energy	LV (5 mins)	This video develops an equation for gravitational potential energy and explains and demonstrates how to calculate changes in gravitational potential energy; it also looks at rearranging the equation to solve problems.
	EN1.4a – Gravitational Potential Energy	10 Qs (1 hour)	This assessment provides opportunities to practise the use of the equation for gravitational potential energy and includes the rearrangement of the equation.

Energy

Specification Notes

EzyScience Resources (LV = Lecture Video)

Additional Information

4.1.1.4 Power

Power is defined as the rate at which energy is transferred or the rate at which work is done.

$$\text{power} = \frac{\text{energy transferred}}{\text{time}}$$

$$P = \frac{E}{t}$$

$$\text{power} = \frac{\text{work done}}{\text{time}}$$

$$P = \frac{E}{t}$$

power, P , in watts, W

energy, E , in joules, J

time, t , in seconds, s

work done, W , in joules, J

An energy transfer of 1 joule per second is equal to a power of 1 watt.

Students should be able to give examples that illustrate the definition of power eg comparing two electric motors that both lift the same weight through the same height but one does it faster than the other.

[EN1.5 - Power](#)

LV (7 mins)

This video develops the definition of power and explains and demonstrates how to calculate it.

[EN1.5a - Power](#)

10 Qs (1 hour)

This assessment provides opportunities to practise the use of the equation for power and includes the rearrangement of the equation.

4.1.1.3 Energy changes in systems

The amount of energy stored in or released from a system as its temperature changes can be calculated using the equation:

change in thermal energy = mass × specific heat capacity × temperature change

$$\Delta E = m c \theta$$

change in thermal energy, ΔE , in joules, J

mass, m , in kilograms, kg

specific heat capacity, c , in joules per kilogram per degree Celsius, J/kg°C

The specific heat capacity of a substance is the amount of energy required to raise the temperature of one kilogram of the substance by one degree Celsius.

Required practical activity 1: investigation to determine the specific heat capacity of one or more materials. The investigation will involve linking the decrease of one energy store (or work done) to the increase in temperature and subsequent increase in thermal energy stored.

[EN1.6 – Thermal Energy](#)

LV (9 mins)

This video links the change in an object's store of thermal energy to change in temperature and then demonstrates how to use the resulting equation.

[EN1.6a – Thermal Energy](#)

10 Qs (1 hour)

This assessment provides opportunities to practise the use of the equation for specific heat capacity and includes the rearrangement of the equation.

[EN1.7 – Finding the Specific Heat Capacity](#)

LV (13 mins)

This video describes and explains how to carry out an experiment to determine the specific heat capacity of aluminium.

[EN1.7a – Finding the Specific Heat Capacity](#)

10 Qs (1 hour)

This assessment provides opportunities to collect, analyse and evaluate the results from experiments to determine values of specific heat capacity.

Energy

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.1.2 Conservation and dissipation of energy</p> <p>4.1.2.1 Energy transfers in a system</p> <p>Energy can be transferred usefully, stored or dissipated, but cannot be created or destroyed.</p> <p>Students should be able to describe with examples where there are energy transfers in a closed system, that there is no net change to the total energy.</p> <p>Students should be able to describe, with examples, how in all system changes energy is dissipated, so that it is stored in less useful ways.</p> <p>This energy is often described as being ‘wasted’.</p> <p>Students should be able to explain ways of reducing unwanted energy transfers, for example through lubrication and the use of thermal insulation.</p> <p>The higher the thermal conductivity of a material the higher the rate of energy transfer by conduction across the material.</p> <p>Students should be able to describe how the rate of cooling of a building is affected by the thickness and thermal conductivity of its walls.</p> <p>Students do not need to know the definition of thermal conductivity.</p> <p>4.1.2.2 Efficiency</p> <p>The energy efficiency for any energy transfer can be calculated using the equation:</p> $\text{efficiency} = \frac{\text{useful output energy transfer}}{\text{total input energy transfer}}$ <p>efficiency may also be calculated using the equation:</p> $\text{efficiency} = \frac{\text{useful power output}}{\text{total power input}}$ <p>(HT only) Students should be able to describe ways to increase the efficiency of an intended energy transfer.</p>	EN2.1.1 – Energy Dissipation	LV (7 mins)	This video describes how energy is dissipated and discusses how this dissipation can be reduced.
	EN2.1.2 - Efficiency	LV (7 mins)	This video develops the idea of efficiency and explains and demonstrates how it is calculated.
	EN2.1a – Energy Dissipation and Efficiency	15 Qs (1 hour)	This assessment provides opportunities to identify ways in which energy is dissipated and to apply the equations for efficiency in calculations.
<p>Required practical activity 2 (physics only): investigate the effectiveness of different materials as thermal insulators and the factors that may affect the thermal insulation properties of a material.</p>	EN2.2 – Thermal Insulators	LV (12 mins)	This video describes and explains an experiment to compare the effectiveness of different materials as insulators.
	EN2.2a – Thermal Insulators	10 Qs (1 hour)	This assessment provides opportunities to collect, analyse and evaluate results from experiments on thermal insulators.

Energy

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.1.3 National and global energy resources</p> <p>The main energy resources available for use on Earth include: fossil fuels (coal, oil and gas), nuclear fuel, biofuel, wind, hydro-electricity, geothermal, the tides, the Sun and water waves.</p> <p>A renewable energy resource is one that is being (or can be) replenished as it is used.</p> <p>The uses of energy resources include: transport, electricity generation and heating.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • describe the main energy sources available • distinguish between energy resources that are renewable and energy resources that are non-renewable • compare ways that different energy resources are used, the uses to include transport, electricity generation and heating • understand why some energy resources are more reliable than others • describe the environmental impact arising from the use of different energy resources • explain patterns and trends in the use of energy resources. <p>Descriptions of how energy resources are used to generate electricity are not required.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • consider the environmental issues that may arise from the use of different energy resources • show that science has the ability to identify environmental issues arising from the use of energy resources but not always the power to deal with the issues because of political, social, ethical or economic considerations. 	EN2.3.1 – Non-Renewable Energy Resources	LV (5 mins)	This video identifies a number of non-renewable energy resources and discusses their advantages and disadvantages.
	EN2.3.2 – Renewable Energy Resources	LV (10 mins)	This video identifies a number of renewable energy resources and discusses their advantages and disadvantages.
	EN2.3a – Energy Resources	10 Qs (1 hour)	This assessment provides opportunities to apply key data analysis skills to compare and evaluate different energy resources.

Electricity

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.2.1 Current, potential difference and resistance</p> <p>4.2.1.1 Standard circuit diagram symbols Circuit diagrams use standard symbols. <i>Students should be able to draw and interpret circuit diagrams.</i></p> <p>4.2.1.2 Electrical charge and current For electrical charge to flow through a closed circuit the circuit must include a source of potential difference. Electric current is a flow of electrical charge. The size of the electric current is the rate of flow of electrical charge. Charge flow, current and time are linked by the equation: charge flow = current × time $Q = I t$ charge flow, Q, in coulombs, C current, I, in amperes, A (amp is acceptable for ampere) time, t, in seconds, s A current has the same value at any point in a single closed loop.</p>	EL1.1.1 – Standard Circuit Diagram Symbols	LV (8 mins)	This video defines all of the circuit symbols on the Physics specification and looks at how a current flows in a complete circuit.
	EL1.1.2 – Electrical Charge and Current	LV (8 mins)	This video defines electric current and then looks at the link between charge and current.
	EL1.1a – Electrical Quantities	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of the roles of a number of common electrical components and provides opportunities to practise using the equation for charge and current.
<p>4.2.4.2 Energy transfers in everyday appliances Everyday electrical appliances are designed to bring about energy transfers. The amount of energy an appliance transfers depends on how long the appliance is switched on for and the power of the appliance. <i>Students should be able to describe how different domestic appliances transfer energy from batteries or ac mains to the kinetic energy of electric motors or the energy of heating devices.</i> Work is done when charge flows in a circuit. The amount of energy transferred by electrical work can be calculated using the equation: energy transferred = charge flow × potential difference $E = Q V$ energy transferred, E, in joules, J charge flow, Q, in coulombs, C potential difference, V, in volts, V</p>	EL1.2 – Energy, Charge and Potential Difference	LV (7 mins)	This video outlines the relationship between the energy transferred by a component and the charge flowing through the component and then explains and demonstrates how to use the equation linking these two quantities.
	EL1.2a – Energy Charge and Potential Difference	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of the relationship between energy and charge and provides opportunities to practise using the equation linking them.

Electricity

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.2.1.3 Current, resistance and potential difference</p> <p>The current (I) through a component depends on both the resistance (R) of the component and the potential difference (V) across the component.</p> <p>The greater the resistance of the component the smaller the current for a given potential difference (pd) across the component.</p> <p>Questions will be set using the term potential difference. Students will gain credit for the correct use of either potential difference or voltage.</p> <p>Current, potential difference or resistance can be calculated using the equation:</p> <p>potential difference = current \times resistance</p> $V = I R$ <p>potential difference, V, in volts, V</p> <p>current, I, in amperes, A (amp is acceptable for ampere)</p> <p>resistance, R, in ohms, Ω</p> <p>4.2.1.4 Resistors</p> <p>The resistance of a thermistor decreases as the temperature increases.</p> <p>The applications of thermistors in circuits eg a thermostat is required.</p> <p>The resistance of an LDR decreases as light intensity increases.</p> <p>The application of LDRs in circuits eg switching lights on when it gets dark is required.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • explain the design and use of a circuit to measure the resistance of a component by measuring the current through, and potential difference across, the component • draw an appropriate circuit diagram using correct circuit symbols. <p>Students should be able to use graphs to explore whether circuit elements are linear or non-linear and relate the curves produced to their function and properties.</p>	EL1.3.1 – Current, Resistance and Potential Difference	LV (4 mins)	This video defines resistance and uses it to link potential difference to current and then explains and demonstrates how to use the equation linking these quantities.
	EL1.3.2 – Applications of Thermistors and LDRs	LV (5 mins)	This video looks at the actions of thermistors and light dependent resistors and discusses their uses.
	EL1.3a – Current, Resistance and Potential Difference	10 Qs (1 hour)	This assessment provides opportunities to apply the equation linking current to potential difference to a number of different components and circuits.

Electricity

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.2.1.3 Current, resistance and potential difference</p> <p>The current (I) through a component depends on both the resistance (R) of the component and the potential difference (V) across the component.</p> <p>The greater the resistance of the component the smaller the current for a given potential difference (pd) across the component.</p> <p>Questions will be set using the term potential difference. Students will gain credit for the correct use of either potential difference or voltage.</p> <p>Current, potential difference or resistance can be calculated using the equation:</p> <p>potential difference = current \times resistance</p> <p>$V = IR$</p> <p>potential difference, V, in volts, V</p> <p>current, I, in amperes, A (amp is acceptable for ampere)</p> <p>resistance, R, in ohms, Ω</p> <p>4.2.1.4 Resistors</p> <p>Required practical activity 3: use circuit diagrams to set up and check appropriate circuits to investigate the factors affecting the resistance of electrical circuits. This should include:</p> <ul style="list-style-type: none"> the length of a wire at constant temperature combinations of resistors in series and parallel. 	EL1.4.1 – Finding Resistance (General Principles)	LV (5 mins)	This video explains some of the general principles of experiments that investigate the resistance of a circuit or a component.
	EL1.4.2 – Finding Resistance (Resistance vs Length)	LV (12 mins)	This video describes and explains how to carry out an experiment to investigate how the length of a wire affects its resistance.
	EL1.4.3 – Finding Resistance (Combinations)	LV (7 mins)	This video describes and explains how to carry out an experiment to investigate the effects of adding resistors in parallel and in series on the resistance of a circuit.
	EL1.4a – Finding Resistance	10 Qs (30 mins)	This assessment provides opportunities to analyse and evaluate the results from experiments on resistance.

Electricity

Specification Notes

EzyScience Resources (LV = Lecture Video)


Additional Information

4.2.1.4 Resistors


Students should be able to explain that, for some resistors, the value of R remains constant but that in others it can change as the current changes.

The current through an ohmic conductor (at a constant temperature) is directly proportional to the potential difference across the resistor. This means that the resistance remains constant as the current changes.


The resistance of components such as lamps, diodes, thermistors and LDRs is not constant; it changes with the current through the component.



The resistance of a filament lamp increases as the temperature of the filament increases.



The current through a diode flows in one direction only. The diode has a very high resistance in the reverse direction.



Required practical activity 4: use circuit diagrams to construct appropriate circuits to investigate the I–V characteristics of a variety of circuit elements, including a filament lamp, a diode and a resistor at constant temperature.

[EL2.1.1 – V-I Characteristics \(Resistor\)](#)

LV (13 mins)

This video describes and explains an experiment to investigate the relationship between potential difference and current for a resistor.

[EL2.1.2 – V-I Characteristics \(Filament Lamp\)](#)

LV (12 mins)

This video describes and explains an experiment to investigate the relationship between potential difference and current for a filament lamp.

[EL2.1.3 – V-I Characteristics \(Diode\)](#)

LV (6 mins)

This video describes and explains an experiment to investigate the relationship between potential difference and current for a diode.

[EL2.1a – V-I Characteristics](#)

10 Qs (1 hour)

This assessment provides opportunities to collect, analyse and evaluate the results from experiments on V-I characteristics.

Electricity

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.2.2 Series and parallel circuits</p> <p>There are two ways of joining electrical components, in series and in parallel. Some circuits include both series and parallel parts.</p> <p>For components connected in series:</p> <ul style="list-style-type: none"> • there is the same current through each component • the total potential difference of the power supply is shared between the components • the total resistance of two components is the sum of the resistance of each component. $R_{total} = R_1 + R_2$ <p>resistance, R, in ohms, Ω</p> <p>For components connected in parallel:</p> <ul style="list-style-type: none"> • the potential difference across each component is the same • the total current through the whole circuit is the sum of the currents through the separate components • the total resistance of two resistors is less than the resistance of the smallest individual resistor. <p>Students should be able to:</p> <ul style="list-style-type: none"> • use circuit diagrams to construct and check series and parallel circuits that include a variety of common circuit components • describe the difference between series and parallel circuits • explain qualitatively why adding resistors in series increases the total resistance whilst adding resistors in parallel decreases the total resistance • explain the design and use of dc series circuits for measurement and testing purposes • calculate the currents, potential differences and resistances in dc series circuits • solve problems for circuits which include resistors in series using the concept of equivalent resistance. <p>Students are not required to calculate the total resistance of two resistors joined in parallel.</p>	EL2.2.1 – Series Circuits	LV (5 mins)	This video explains the relationships between potential difference, current and resistance in a series circuit.
	EL2.2.2 – Parallel Circuits	LV (9 mins)	This video explains the relationships between potential difference, current and resistance in a series circuit.
	EL2.2a – Series and Parallel Circuits	10 Qs (1 hour)	This assessment provides opportunities to practise applying the relationships between potential difference, current and resistance in series and parallel circuits.

Electricity

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.2.3 Domestic uses and safety</p> <p>4.2.3.1 Direct and alternating potential difference</p> <p>Mains electricity is an ac supply. In the United Kingdom the domestic electricity supply has a frequency of 50 Hz and is about 230 V.</p> <p>Students should be able to explain the difference between direct and alternating potential difference.</p> <p>4.2.3.2 Mains electricity</p> <p>Most electrical appliances are connected to the mains using three-core cable. The insulation covering each wire is colour coded for easy identification:</p> <p>live wire – brown neutral wire – blue earth wire – green and yellow stripes.</p> <p>The live wire carries the alternating potential difference from the supply. The neutral wire completes the circuit. The earth wire is a safety wire to stop the appliance becoming live.</p> <p>The potential difference between the live wire and earth (0 V) is about 230 V. The neutral wire is at, or close to, earth potential (0 V).</p> <p>The earth wire is at 0 V, it only carries a current if there is a fault.</p> <p>Students should be able to explain:</p> <ul style="list-style-type: none"> • that a live wire may be dangerous even when a switch in the mains circuit is open • the dangers of providing any connection between the live wire and earth. 	EL3.1.1 – Direct and Alternating PD	LV (5 mins)	This video explains the differences between direct and alternating potential difference.
	EL3.1.2 – Mains Electricity	LV (7 mins)	This video describes how electricity is provided to and used in households.
	EL3.1a – Domestic Circuits	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of the supply and use of domestic electricity.

Electricity

Specification Notes

EzyScience Resources (LV = Lecture Video)

Additional Information

4.2.4 Energy transfers

4.2.4.1 Power

Students should be able to explain how the power transfer in any circuit device is related to the potential difference across it and the current through it, and to the energy changes over time:

power = potential difference \times current

$$P = V I$$

power = current² \times resistance

$$P = I^2 R$$

power, P , in watts, W

potential difference, V , in volts, V

current, I , in amperes, A (amp is acceptable for ampere)

resistance, R , in ohms, Ω

4.2.4.2 Energy transfers in everyday appliances

Everyday electrical appliances are designed to bring about energy transfers.

The amount of energy an appliance transfers depends on how long the appliance is switched on for and the power of the appliance.

Students should be able to describe how different domestic appliances transfer energy from batteries or ac mains to the kinetic energy of electric motors or the energy of heating devices.

Work is done when charge flows in a circuit.

The amount of energy transferred by electrical work can be calculated using the equation:

energy transferred = power \times time

$$E = P t$$

energy transferred = charge flow \times potential difference

$$E = Q V$$

energy transferred, E , in joules, J

power, P , in watts, W

time, t , in seconds, s

charge flow, Q , in coulombs, C

potential difference, V , in volts, V

Students should be able to explain how the power of a circuit device is related to:

- the potential difference across it and the current through it
- the energy transferred over a given time.

Students should be able to describe, with examples, the relationship between the power ratings for domestic electrical appliances and the changes in stored energy when they are in use.

[EL3.2.1 – Electric Power](#)

LV (8 mins)

This video defines electric power and explains how to calculate it.

[EL3.2.2 – Electrical Energy Transfers](#)

LV (7 mins)

This video explains how to calculate the amount of energy transferred by an electrical device.

Electricity

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.2.4.3 The National Grid</p> <p>The National Grid is a system of cables and transformers linking power stations to consumers. Electrical power is transferred from power stations to consumers using the National Grid. Step-up transformers are used to increase the potential difference from the power station to the transmission cables then step-down transformers are used to decrease, to a much lower value, the potential difference for domestic use.</p> <p><i>Students should be able to explain why the National Grid system is an efficient way to transfer energy.</i></p>	EL3.2.3 – The National Grid	LV (4 mins)	This video explains how electrical energy is transferred between power stations and consumers over large distances.
	EL3.2a – Electrical Energy and Power	10 Qs (1 hour)	This assessment provides opportunities to apply key ideas of electricity to evaluate the supply and use of electricity in different situations.

Electricity

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.2.5 Static electricity (physics only)</p> <p>4.2.5.1 Static charge</p> <p>When certain insulating materials are rubbed against each other they become electrically charged. Negatively charged electrons are rubbed off one material and on to the other. The material that gains electrons becomes negatively charged. The material that loses electrons is left with an equal positive charge.</p> <p>When two electrically charged objects are brought close together they exert a force on each other. Two objects that carry the same type of charge repel. Two objects that carry different types of charge attract. Attraction and repulsion between two charged objects are examples of non-contact force.</p> <p style="color: red;">Students should be able to:</p> <ul style="list-style-type: none"> • describe the production of static electricity, and sparking, by rubbing surfaces • describe evidence that charged objects exert forces of attraction or repulsion on one another when not in contact • explain how the transfer of electrons between objects can explain the phenomena of static electricity. <p>4.2.5.2 Electric fields</p> <p>A charged object creates an electric field around itself. The electric field is strongest close to the charged object. The further away from the charged object, the weaker the field.</p> <p>A second charged object placed in the field experiences a force. The force gets stronger as the distance between the objects decreases.</p> <p style="color: red;">Students should be able to:</p> <ul style="list-style-type: none"> • draw the electric field pattern for an isolated charged sphere • explain the concept of an electric field • explain how the concept of an electric field helps to explain the noncontact force between charged objects as well as other electrostatic phenomena such as sparking. 	EL3.3.1 – Static Electricity	LV (8 mins)	This video explains how static electricity occurs and discusses some of its consequences.
	EL3.3.2 – Electric Fields	LV (4 mins)	This video explains what an electric field is and how they can be represented in diagrams.
	EL3.3a – Static Electricity and Electric Fields	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of static electricity and electric fields.

Particle Model of Matter

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.3.1 Changes of state and the particle model</p> <p>4.3.1.1 Density of materials</p> <p>The density of a material is defined by the equation:</p> $\text{density} = \frac{\text{mass}}{\text{volume}}$ $\rho = \frac{m}{V}$ <p>density, ρ, in kilograms per metre cubed, kg/m³</p> <p>mass, m, in kilograms, kg</p> <p>volume, V, in metres cubed, m³</p> <p>The particle model can be used to explain</p> <ul style="list-style-type: none"> the different states of matter differences in density. <p style="color: red;">Students should be able to recognise/draw simple diagrams to model the difference between solids, liquids and gases.</p> <p style="color: red;">Students should be able to explain the differences in density between the different states of matter in terms of the arrangement of atoms or molecules.</p> <p>4.3.1.2 Changes of state</p> <p style="color: red;">Students should be able to describe how, when substances change state (melt, freeze, boil, evaporate, condense or sublimate), mass is conserved.</p> <p>Changes of state are physical changes which differ from chemical changes because the material recovers its original properties if the change is reversed.</p>	PM1.1.1 – Calculating Density	LV (5 mins)	This video defines density and explains and demonstrates how to calculate it.
	PM1.1.2 – The Particle Model of Density	LV (4 mins)	This video links the particle structures of substances to their physical properties, including density.
	PM1.1.3 – Change of State	LV (5 mins)	This video explains what happens when a change of state takes place.
	PM1.1a – Density and State	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of the particle model of matter and provides opportunities to apply the equation for density to a range of situations.
	<p>Required practical activity 5: use appropriate apparatus to make and record the measurements needed to determine the densities of regular and irregular solid objects and liquids. Volume should be determined from the dimensions of regularly shaped objects, and by a displacement technique for irregularly shaped objects. Dimensions to be measured using appropriate apparatus such as a ruler, micrometer or Vernier callipers.</p>	PM1.2 – Determining Density	LV (7 mins)
PM1.2a – Determining Density		10 Qs (1 hour)	This assessment provides opportunities to collect, analyse and evaluate the results of experiments on density.

Particle Model of Matter

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.3.2 Internal energy and energy transfers</p> <p>4.3.2.1 Internal energy</p> <p>Energy is stored inside a system by the particles (atoms and molecules) that make up the system. This is called internal energy.</p> <p>Internal energy is the total kinetic energy and potential energy of all the particles (atoms and molecules) that make up a system.</p> <p>Heating changes the energy stored within the system by increasing the energy of the particles that make up the system. This either raises the temperature of the system or produces a change of state.</p> <p>4.3.2.2 Temperature changes in a system and specific heat capacity</p> <p>If the temperature of the system increases, the increase in temperature depends on the mass of the substance heated, the type of material and the energy input to the system.</p> <p>The following equation applies:</p> <p>change in thermal energy = mass × specific heat capacity × temperature change</p> $\Delta E = m c \theta$ <p>change in thermal energy, ΔE, in joules, J</p> <p>mass, m, in kilograms, kg</p> <p>specific heat capacity, c, in joules per kilogram per degree Celsius, J/kg °C</p> <p>temperature change, $\Delta\theta$, in degrees Celsius, °C.</p> <p>The specific heat capacity of a substance is the amount of energy required to raise the temperature of one kilogram of the substance by one degree Celsius.</p>	PM1.3.1 – Internal Energy	LV (7 mins)	This video explains the concept of internal energy.
	PM1.3.2 – Thermal energy and Specific Heat Capacity	LV (9 mins)	This video explains the link between a change in thermal energy and temperature, defines specific heat capacity and demonstrates how to use the equation linking these three quantities.

Particle Model of Matter

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.3.2 Internal energy and energy transfers</p> <p>4.3.2.3 Changes of heat and specific latent heat</p> <p>If a change of state happens:</p> <p>The energy needed for a substance to change state is called latent heat. When a change of state occurs, the energy supplied changes the energy stored (internal energy) but not the temperature.</p> <p>The specific latent heat of a substance is the amount of energy required to change the state of one kilogram of the substance with no change in temperature.</p> <p>energy for a change of state = mass × specific latent heat</p> $E = m L$ <p>energy, E, in joules, J</p> <p>mass, m, in kilograms, kg</p> <p>specific latent heat, L, in joules per kilogram, J/kg</p> <p>Specific latent heat of fusion – change of state from solid to liquid</p> <p>Specific latent heat of vaporisation – change of state from liquid to vapour</p> <p style="color: red;">Students should be able to interpret heating and cooling graphs that include changes of state.</p> <p style="color: red;">Students should be able to distinguish between specific heat capacity and specific latent heat.</p>	PM1.3.3 – Specific Latent Heat	LV (6 mins)	This video explains the link between the thermal energy supplied to the mass changing state, defines specific latent heat and demonstrates how to use the equation linking these three quantities.
	PM1.3a – Energy of Particles	10 Qs (1 hour)	This assessment provides opportunities to apply the equations for specific heat capacity and specific latent heat to a range of situations.

Particle Model of Matter

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.3.3 Particle model and pressure</p> <p>4.3.3.1 Particle motion in gases</p> <p>The molecules of a gas are in constant random motion. The temperature of the gas is related to the average kinetic energy of the molecules.</p> <p>Changing the temperature of a gas, held at constant volume, changes the pressure exerted by the gas.</p> <p style="color: red;">Students should be able to:</p> <ul style="list-style-type: none"> • explain how the motion of the molecules in a gas is related to both its temperature and its pressure • explain qualitatively the relation between the temperature of a gas and its pressure at constant volume. 	PM2.1 – Particle Motion in Gases	LV (4 mins)	This video uses a particle model of a gas to explain the relationship between the temperature of a gas and its pressure.
	PM2.1a – Particle Motion in Gases	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the consequences of the motion of particles in gases.
<p>4.3.3.2 Pressure in gases (physics only)</p> <p>A gas can be compressed or expanded by pressure changes. The pressure produces a net force at right angles to the wall of the gas container (or any surface).</p> <p style="color: red;">Students should be able to use the particle model to explain how increasing the volume in which a gas is contained, at constant temperature, can lead to a decrease in pressure.</p> <p>For a fixed mass of gas held at a constant temperature:</p> <p>pressure \times volume = constant</p> <p>$pV = \text{constant}$</p> <p>pressure, p, in pascals, Pa</p> <p>volume, V, in metres cubed, m^3</p> <p style="color: red;">Students should be able to calculate the change in the pressure of a gas or the volume of a gas (a fixed mass held at constant temperature) when either the pressure or volume is increased or decreased.</p>	PM2.2.1 – Pressure in Gases	LV (3 mins)	This video uses a particle model of a gas to explain the effect on the pressure of the gas of changing its volume.
	PM2.2.2 – $pV = \text{constant}$	LV (8 mins)	This video describes quantitatively the relationship between the temperature of a gas and its pressure and explains how to use the equation for this relationship.
	PM2.2.2 – $pV = \text{constant}$	10 Qs (1 hour)	This assessment provides opportunities to apply the relationship between pressure and volume to a range of situations.
<p>4.3.3.3 Increasing the pressure of a gas (physics only) (HT only)</p> <p>Work is the transfer of energy by a force.</p> <p>Doing work on a gas increases the internal energy of the gas and can cause an increase in the temperature of the gas.</p> <p style="color: red;">Students should be able to explain how, in a given situation eg a bicycle pump, doing work on an enclosed gas leads to an increase in the temperature of the gas.</p>	PM2.3 – Increasing the Pressure of a Gas	LV (4 mins)	This video explores the effects of increasing the pressure of a gas and applies the ideas to explain how the pistons of an engine operate and what happens to the air in a bicycle pump.
	PM2.3a – Increasing the Pressure of a Gas	5 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the effects of increasing the pressure of a gas.

Particle Model of Matter

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.4.1 Atoms and isotopes</p> <p>4.4.1.1 The structure of an atom</p> <p>Atoms are very small, having a radius of about 1×10^{-10} metres.</p> <p>The basic structure of an atom is a positively charged nucleus composed of both protons and neutrons surrounded by negatively charged electrons.</p> <p>The radius of a nucleus is less than 1/10 000 of the radius of an atom. Most of the mass of an atom is concentrated in the nucleus.</p> <p>The electrons are arranged at different distances from the nucleus (different energy levels). The electron arrangements may change with the absorption of electromagnetic radiation (move further from the nucleus; a higher energy level) or by the emission of electromagnetic radiation (move closer to the nucleus; a lower energy level).</p> <p>4.4.1.2 Mass number, atomic number and isotopes</p> <p>In an atom the number of electrons is equal to the number of protons in the nucleus. Atoms have no overall electrical charge.</p> <p>All atoms of a particular element have the same number of protons. The number of protons in an atom of an element is called its atomic number.</p> <p>The total number of protons and neutrons in an atom is called its mass number.</p> <p>Atoms can be represented as shown in this example:</p> <div style="text-align: center;"> $\begin{array}{c} \text{(Mass number)} \\ \text{(Atomic number)} \end{array} \begin{array}{c} 23 \\ 11 \end{array} \text{Na}$ </div> <p>Atoms of the same element can have different numbers of neutrons; these atoms are called isotopes of that element.</p> <p>Atoms turn into positive ions if they lose one or more outer electron(s).</p> <p style="color: red;">Students should be able to relate differences between isotopes to differences in conventional representations of their identities, charges and masses.</p>	AS1.1.1 – Atomic Structure	LV (6 mins)	This video describes the general structure of an atom, including the composition of the nucleus and the arrangement of the electrons.
	AS1.1.2 – Mass Number, Atomic Number and Isotopes	LV (6 mins)	This video defines the atomic number and mass number of an element and then explains the existence of isotopes.

Particle Model of Matter

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.4.1.3 The development of the model of the atom (common content with chemistry)</p> <p>New experimental evidence may lead to a scientific model being changed or replaced.</p> <p>Before the discovery of the electron, atoms were thought to be tiny spheres that could not be divided.</p> <p>The discovery of the electron led to the plum pudding model of the atom. The plum pudding model suggested that the atom is a ball of positive charge with negative electrons embedded in it.</p> <p>The results from the alpha particle scattering experiment led to the conclusion that the mass of an atom was concentrated at the centre (nucleus) and that the nucleus was charged. This nuclear model replaced the plum pudding model.</p> <p>Niels Bohr adapted the nuclear model by suggesting that electrons orbit the nucleus at specific distances. The theoretical calculations of Bohr agreed with experimental observations.</p> <p>Later experiments led to the idea that the positive charge of any nucleus could be subdivided into a whole number of smaller particles, each particle having the same amount of positive charge. The name proton was given to these particles.</p> <p>The experimental work of James Chadwick provided the evidence to show the existence of neutrons within the nucleus. This was about 20 years after the nucleus became an accepted scientific idea.</p> <p>Students should be able to describe:</p> <ul style="list-style-type: none"> • why the new evidence from the scattering experiment led to a change in the atomic model • the difference between the plum pudding model of the atom and the nuclear model of the atom. <p>Details of experimental work supporting the Bohr model are not required.</p> <p>Details of Chadwick's experimental work are not required.</p>	<p>AS1.1.3 – The Development of the Model of the Atom</p>	<p>LV (7 mins)</p>	<p>This video explains some of the key events in the history of the development of the current model of the atom.</p>
	<p>AS1.1a – The Atom</p>	<p>15 Qs (1 hour)</p>	<p>This assessment provides opportunities to apply knowledge of atomic structure to interpret information about atoms.</p>

Particle Model of Matter

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.4.2 Atoms and nuclear radiation</p> <p>4.4.2.1 Radioactive decay and nuclear radiation</p> <p>Some atomic nuclei are unstable. The nucleus gives out radiation as it changes to become more stable. This is a random process called radioactive decay.</p> <p>Activity is the rate at which a source of unstable nuclei decays.</p> <p>Activity is measured in becquerel (Bq).</p> <p>Count-rate is the number of decays recorded each second by a detector (eg Geiger-Muller tube).</p> <p>The nuclear radiation emitted may be:</p> <ul style="list-style-type: none"> • an alpha particle (α) – this consists of two neutrons and two protons, it is the same as a helium nucleus • a beta particle (β) – a high speed electron ejected from the nucleus as a neutron turns into a proton • a gamma ray (γ) – electromagnetic radiation from the nucleus • a neutron (n). <p style="color: red;">Required knowledge of the properties of alpha particles, beta particles and gamma rays is limited to their penetration through materials, their range in air and ionising power.</p> <p style="color: red;">Students should be able to apply their knowledge to the uses of radiation and evaluate the best sources of radiation to use in a given situation.</p>	AS1.2.1 – Radioactive Decay and Activity	LV (7 mins)	This video describes and explains the changes that take place when a radioactive nucleus emits an alpha or beta particle.
	AS1.2.2 – Natures and Properties of Nuclear Radiations	LV (5 mins)	This video compares the ionising and penetrating powers of alpha, beta and gamma radiations.
	AS1.2a – Nuclear Radiations	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of nuclear radiations.

Particle Model of Matter

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.4.2.2 Nuclear equations</p> <p>Nuclear equations are used to represent radioactive decay.</p> <p>In a nuclear equation an alpha particle may be represented by the symbol: ${}^4_2\text{He}$ and a beta particle by the symbol: ${}^0_{-1}\text{e}$</p> <p>The emission of the different types of nuclear radiation may cause a change in the mass and /or the charge of the nucleus. For example:</p> ${}^{219}_{86}\text{radon} \rightarrow {}^{215}_{84}\text{polonium} + {}^4_2\text{He}$ <p>So alpha decay causes both the mass and charge of the nucleus to decrease.</p> ${}^{14}_6\text{carbon} \rightarrow {}^{14}_7\text{nitrogen} + {}^0_{-1}\text{e}$ <p>So beta decay does not cause the mass of the nucleus to change but does cause the charge of the nucleus to increase.</p> <p style="color: red;">Students are not required to recall these two examples.</p> <p style="color: red;">Students should be able to use the names and symbols of common nuclei and particles to write balanced equations that show single alpha (α) and beta (β) decay. This is limited to balancing the atomic numbers and mass numbers. The identification of daughter elements from such decays is not required.</p> <p>The emission of a gamma ray does not cause the mass or the charge of the nucleus to change.</p> <p>4.4.2.3 Half-lives and the random nature of radioactive decay</p> <p>Radioactive decay is random.</p> <p>The half-life of a radioactive isotope is the time it takes for the number of nuclei of the isotope in a sample to halve, or the time it takes for the count rate (or activity) from a sample containing the isotope to fall to half its initial level.</p> <p style="color: red;">Students should be able to explain the concept of half-life and how it is related to the random nature of radioactive decay.</p> <p style="color: red;">Students should be able to determine the half-life of a radioactive isotope from given information.</p> <p style="color: red;">(HT only) Students should be able to calculate the net decline, expressed as a ratio, in a radioactive emission after a given number of half-lives.</p>	AS1.3.1 – Nuclear Equations	LV (8 mis)	This video demonstrates how alpha and beta particle emissions are represented in nuclear equations.
	AS1.3.2 – Half-Lives	LV (8 mins)	This video identifies and explains patterns in radioactive decay.
	AS1.3a – Radioactive Decay	10 Qs (1 hour)	This assessment provides opportunities to practise the use of nuclear equations and to apply information about the half-lives of a range of radioactive elements.

Atomic Structure

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.4.2.4 Radioactive contamination</p> <p>Radioactive contamination is the unwanted presence of materials containing radioactive atoms on other materials. The hazard from contamination is due to the decay of the contaminating atoms. The type of radiation emitted affects the level of hazard.</p> <p>Irradiation is the process of exposing an object to nuclear radiation. The irradiated object does not become radioactive.</p> <p><i>Students should be able to compare the hazards associated with contamination and irradiation.</i></p> <p>Suitable precautions must be taken to protect against any hazard that the radioactive source used in the process of irradiation may present.</p> <p><i>Students should understand that it is important for the findings of studies into the effects of radiation on humans to be published and shared with other scientists so that the findings can be checked by peer review.</i></p>	AS2.1 - Radioactive Contamination	LV (7 mins)	This video defines radioactive contamination and explains how it arises and how its dangers can be reduced.
	AS2.1a – Radioactive Contamination	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of radioactive contamination by applying key ideas to a range of situations.
<p>4.4.3 Hazards and uses of radioactive emissions and of background radiation (physics only)</p> <p>4.4.3.1 Background radiation</p> <p>Background radiation is around us all of the time. It comes from:</p> <ul style="list-style-type: none"> • natural sources such as rocks and cosmic rays from space • man-made sources such as the fallout from nuclear weapons testing and nuclear accidents. <p>The level of background radiation and radiation dose may be affected by occupation and/or location.</p> <p>Radiation dose is measured in sieverts (Sv)</p> <p>1000 millisieverts (mSv) = 1 sievert (Sv)</p> <p><i>Students will not need to recall the unit of radiation dose.</i></p> <p>4.4.3.2 Different half-lives of radioactive isotopes</p> <p>Radioactive isotopes have a very wide range of half-life values.</p> <p><i>Students should be able to explain why the hazards associated with radioactive material differ according to the half-life involved.</i></p> <p>4.4.3.3 Uses of nuclear radiation</p> <p>Nuclear radiations are used in medicine for the:</p> <ul style="list-style-type: none"> • exploration of internal organs • control or destruction of unwanted tissue. <p><i>Students should be able to:</i></p> <ul style="list-style-type: none"> • describe and evaluate the uses of nuclear radiations for exploration of internal organs, and for control or destruction of unwanted tissue • evaluate the perceived risks of using nuclear radiations in relation to given data and consequences. 	AS2.2.1 – Background Radiation	LV (4 mins)	This video identifies the sources of ionization radiation to which we are exposed every day.
	AS2.2.2 – Uses of Radioactivity	LV (9 mins)	This video describes and explains some of the uses of ionising radiation.
	AS2.2.3 – Hazards of Radioactivity	LV (8 mins)	This video describes and explains some of the dangers caused by exposure to ionising radiation.
	AS2.2a – Hazards and Uses of Radioactivity	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of the hazards and uses of radioactivity by applying key ideas to a range of situations.

Atomic Structure

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.4.4 Nuclear fission and fusion (physics only)</p> <p>4.4.4.1 Nuclear fission</p> <p>Nuclear fission is the splitting of a large and unstable nucleus (eg uranium or plutonium). Spontaneous fission is rare. Usually, for fission to occur the unstable nucleus must first absorb a neutron.</p> <p>The nucleus undergoing fission splits into two smaller nuclei, roughly equal in size, and emits two or three neutrons plus gamma rays. Energy is released by the fission reaction.</p> <p>All of the fission products have kinetic energy.</p> <p>The neutrons may go on to start a chain reaction.</p> <p>The chain reaction is controlled in a nuclear reactor to control the energy released. The explosion caused by a nuclear weapon is caused by an uncontrolled chain reaction.</p> <p>Students should be able to draw/interpret diagrams representing nuclear fission and how a chain reaction may occur.</p> <p>4.4.4.2 Nuclear fusion</p> <p>Nuclear fusion is the joining of two light nuclei to form a heavier nucleus.</p> <p>In this process some of the mass may be converted into the energy of radiation.</p>	AS2.3.1 – Nuclear Fission	LV (5 mins)	This video describes what happens during nuclear fission and explains how nuclear fission is harnessed in nuclear power stations to produce electricity.
	AS2.3.2 – Nuclear Fusion	LV (6 mins)	This video describes what happens during nuclear fusion and compares it to nuclear fission in terms of the necessary conditions and the outcomes.
	AS2.3a – Nuclear Fission and Fusion	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of nuclear fission and nuclear fusion.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.1 Forces and their interactions</p> <p>4.5.1.1 Scalar and vector quantities</p> <p>Scalar quantities have magnitude only.</p> <p>Vector quantities have magnitude and an associated direction.</p> <p>A vector quantity may be represented by an arrow. The length of the arrow represents the magnitude, and the direction of the arrow the direction of the vector quantity.</p>	FO1.1 – Scalar and Vector Quantities	LV (5 mins)	This video defines scalar and vector quantities and distinguishes between them and then looks at how vectors can be represented by arrows.
	FO1.1a – Scalar and Vector Quantities	15 Qs (1 hour)	This assessment provides opportunities to practise the use of scale diagrams to represent vectors.
<p>4.5.1.2 Contact and non-contact forces</p> <p>A force is a push or pull that acts on an object due to the interaction with another object. All forces between objects are either:</p> <ul style="list-style-type: none"> • contact forces – the objects are physically touching • non-contact forces – the objects are physically separated. <p>Examples of contact forces include friction, air resistance, tension and normal contact force.</p> <p>Examples of non-contact forces are gravitational force, electrostatic force and magnetic force.</p> <p>Force is a vector quantity.</p> <p style="color: red;">Students should be able to describe the interaction between pairs of objects which produce a force on each object. The forces to be represented as vectors.</p>	FO1.2 – Introduction to Forces	LV (6 mins)	This video defines a force and then compares contact and non-contact forces by looking at specific examples.
	FO1.2a – Introduction to Forces	15 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of contact and non-contact forces.
<p>4.5.1.3 Gravity</p> <p>Weight is the force acting on an object due to gravity. The force of gravity close to the Earth is due to the gravitational field around the Earth.</p> <p>The weight of an object depends on the gravitational field strength at the point where the object is.</p> <p>The weight of an object can be calculated using the equation:</p> <p>weight = mass × gravitational field strength</p> $W = m g$ <p>weight, W, in newtons, N</p> <p>mass, m, in kilograms, kg</p> <p>gravitational field strength, g, in newtons per kilogram, N/kg (In any calculation the value of the gravitational field strength (g) will be given.)</p> <p>The weight of an object may be considered to act at a single point referred to as the object's 'centre of mass'.</p> <p>The weight of an object and the mass of an object are directly proportional.</p> <p>Weight is measured using a calibrated spring-balance (a newtonmeter).</p>	FO1.3 - Gravity	LV (8 mins)	This video defines gravity, weight and the link between them and then demonstrates how to calculate the weight of an object.
	FO1.3a - Gravity	15 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of the relationship between mass and weight.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.1.4 Resultant forces</p> <p>A number of forces acting on an object may be replaced by a single force that has the same effect as all the original forces acting together.</p> <p>This single force is called the resultant force.</p> <p>Students should be able to calculate the resultant of two forces that act in a straight line.</p>	FO1.4 - Resultant Forces (Collinear)	LV (3 mins)	This video demonstrates and explains how to calculate the resultant force when two or more forces act on an object along the same straight line.
	FO1.4a – Resultant Forces (Collinear)	15 Qs (1 hour)	This assessment provides opportunities to practise applying the idea of a resultant force to a range of situations.
	FO1.4b – Resultant Forces (Collinear)	15 Qs (1 hour)	This assessment provides opportunities to practise applying the idea of a resultant force to a range of situations, including those involving more than two forces and the use of standard form.
<p>4.5.1.4 Resultant forces</p> <p>(HT only) Students should be able to:</p> <ul style="list-style-type: none"> describe examples of the forces acting on an isolated object or system use free body diagrams to describe qualitatively examples where several forces lead to a resultant force on an object, including balanced forces when the resultant force is zero. <p>(HT only) Students should be able to use vector diagrams to illustrate resolution of forces, equilibrium situations and determine the resultant of two forces, to include both magnitude and direction (scale drawings only).</p>	FO1.5 – Resultant Forces (Non-Collinear)	LV (8 mins)	This video describes and explains how two forces acting at an angle to each other can be combined to give a single resultant that has the same effect.
	FO1.5a – Resultant Forces (Non-Collinear)	10 Qs (1 hour)	This assessment provides opportunities to practise calculating the resultant of two forces acting at an angle to each other given a vector diagram.
	FO1.5b – Resultant Forces (Non-Collinear)	10 Qs (1 hour)	This assessment provides opportunities to practise calculating the resultant of two forces acting at an angle to each other by drawing a diagram from scratch.
<p>4.5.1.4 Resultant forces</p> <p>(HT only) A single force can be resolved into two components acting at right angles to each other. The two component forces together have the same effect as the single force.</p> <p>(HT only) Students should be able to use vector diagrams to illustrate resolution of forces, equilibrium situations and determine the resultant of two forces, to include both magnitude and direction (scale drawings only).</p>	FO1.6 – Resolution of Forces	LV (8 mins)	This video demonstrates and explains how a single force can be resolved into two forces at 90° to each other that have the same effect as the single force.
	FO1.6a – Resolution of Forces	10 Qs (1 hour)	This assessment provides opportunities to practise resolving a single force into two perpendicular components.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.2 Work done and energy transfer</p> <p>When a force causes an object to move through a distance work is done on the object. So a force does work on an object when the force causes a displacement of the object.</p> <p>The work done by a force on an object can be calculated using the equation: work done = force \times distance moved along the line of action of the force</p> <p>$W = F s$</p> <p>work done, W, in joules, J force, F, in newtons, N distance, s, in metres, m</p> <p>One joule of work is done when a force of one newton causes a displacement of one metre. 1 joule = 1 newton-metre</p> <p style="color: red;">Students should be able to describe the energy transfer involved when work is done.</p> <p style="color: red;">Students should be able to convert between newton-metres and joules.</p> <p>Work done against the frictional forces acting on an object causes a rise in the temperature of the object.</p>	FO2.1 – Work Done and Energy Transfer	LV (4 mins)	This video explains the link between work and energy transfers and shows how to calculate work.
	FO2.1a – Work Done and Energy Transfer	15 Qs (90 mins)	This assessment provides opportunities to calculate the work done and consider the energy transfers that take place in a range of situations.
	FO2.1b – Work Done and Energy Transfer	10 Qs (1 hour)	This assessment provides opportunities to calculate the work done and consider the energy transfers that take place when objects move up or down a slope.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.3 Forces and elasticity</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • give examples of the forces involved in stretching, bending or compressing an object • explain why, to change the shape of an object (by stretching, bending or compressing), more than one force has to be applied – this is limited to stationary objects only • describe the difference between elastic deformation and inelastic deformation caused by stretching forces. 	FO3.1 – Stretching and Bending	LV (4 mins)	This video discusses in general terms how forces can be used to change the shape and size of an object and how changes in size can be measured.
	FO3.1a – Stretching and Bending	15 Qs (1 hour)	This assessment provides opportunities to identify the changes caused by forces and measure them.
<p>4.5.3 Forces and elasticity</p> <p>The extension of an elastic object, such as a spring, is directly proportional to the force applied, provided that the limit of proportionality is not exceeded.</p> <p>force = spring constant × extension</p> $F = k e$ <p>force, F, in newtons, N</p> <p>spring constant, k, in newtons per metre, N/m</p> <p>extension, e, in metres, m</p> <p>This relationship also applies to the compression of an elastic object, where ‘e’ would be the compression of the object.</p> <p>A force that stretches (or compresses) a spring does work and elastic potential energy is stored in the spring. Provided the spring is not inelastically deformed, the work done on the spring and the elastic potential energy stored are equal.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • describe the difference between a linear and non-linear relationship between force and extension • calculate a spring constant in linear cases • interpret data from an investigation of the relationship between force and extension. 	FO3.2 – F = ke Theory	LV (5 mins)	This video looks at the relationship between the extension of a spring and the force causing it.
	FO3.2a – F = ke Theory	15 Qs (1 hour)	This assessment provides opportunities to carry out calculations involving the relationship between the extension of a spring and the force causing it.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
4.5.3 Forces and elasticity Required practical activity 6: investigate the relationship between force and extension for a spring.	FO3.3.1 – F = ke Experiment – Doing the Experiment	LV (7 mins)	This video takes us through an experiment to investigate the relationship between the extension of a spring and the force causing it.
	FO3.3.2 – F = ke Experiment – Analysing the Results	LV (8 mins)	This video looks at how to analyse the results from an experiment on the relationship between the extension of a spring and the force causing it.
	FO3.3a – F = ke Experiment	11 Qs (1 hour)	This assessment provides opportunities to collect, analyse and evaluate results from an experiment on the relationship between force and extension for a spring.
	FO3.3b – F = ke Experiment	15 Qs (1 hour)	This assessment provides opportunities to analyse and evaluate results from experiments on the relationship between force and extension for a spring.
4.5.3 Forces and elasticity Students should be able to: <ul style="list-style-type: none"> calculate work done in stretching (or compressing) a spring (up to the limit of proportionality) using the equation: elastic potential energy = 0.5 × spring constant × extension² $E_e = \frac{1}{2} k e^2$ Students should be able to calculate relevant values of stored energy and energy transfers.	FO3.4 – Work Done in Stretching a Spring	LV (4 mins)	This video explains and demonstrates how to calculate the elastic potential energy stored in a stretched spring.
	FO3.4a – Work Done in Stretching a Spring	15 Qs (1 hour)	This assessment provides opportunities to apply the equation for elastic potential energy in a range of situations.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.4 Moments, levers and gears (physics only)</p> <p>A force or a system of forces may cause an object to rotate.</p> <p>Students should be able to describe examples in which forces cause rotation.</p> <p>The turning effect of a force is called the moment of the force. The size of the moment is defined by the equation:</p> <p>moment of a force = force \times distance</p> $M = F d$ <p>moment of a force, M, in newton-metres, Nm</p> <p>force, F, in newtons, N</p> <p>distance, d, is the perpendicular distance from the pivot to the line of action of the force, in metres, m.</p> <p>If an object is balanced, the total clockwise moment about a pivot equals the total anticlockwise moment about that pivot.</p> <p>Students should be able to calculate the size of a force, or its distance from a pivot, acting on an object that is balanced.</p>	<p>FO4.1 – Calculating Moments and the Principle of Moments</p>	<p>LV (9 mins)</p>	<p>This video defines the moment of a force and then discusses the factors affecting the size and direction of a moment, and finally explains the principle of moments and demonstrates how it can be applied.</p>
	<p>FO4.1a – Calculating Moments and the Principle of Moments</p>	<p>15 Qs (1 hour)</p>	<p>This assessment provides opportunities to calculate moments and apply the principle of moments.</p>
<p>4.5.4 Moments, levers and gears (physics only)</p> <p>A simple lever and a simple gear system can both be used to transmit the rotational effects of forces.</p> <p>Students should be able to explain how levers and gears transmit the rotational effects of forces.</p>	<p>FO4.2 – Levers and Gears</p>	<p>LV (8 mins)</p>	<p>This video applies the idea of moments and the principle of moments to explain the actions of levers and gears.</p>
	<p>FO4.2a – Levers and Gears</p>	<p>10 Qs (1 hour)</p>	<p>This assessment provides opportunities to apply the equation for a moment and the principle of moments to situations involving levers and gears.</p>

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.5 Pressure and pressure differences in fluids (physics only)</p> <p>4.5.5.1 Pressure in a fluid</p> <p>4.5.5.1.1 Pressure in a fluid 1</p> <p>A fluid can be either a liquid or a gas.</p> <p>The pressure in fluids causes a force normal (at right angles) to any surface.</p> <p>The pressure at the surface of a fluid can be calculated using the equation:</p> $\text{pressure} = \frac{\text{force normal to a surface}}{\text{area of that surface}}$ $p = \frac{F}{A}$ <p>pressure, p, in pascals, Pa force, F, in newtons, N area, A, in metres squared, m²</p>	FO5.1 – P = F/A	LV (5 mins)	This video defines pressure and the equation used to calculate it and then demonstrates how to use this equation.
	FO5.1 – P = F/A	15 Qs (1 hour)	This assessment provides opportunities to apply the definition of and equation for pressure.
<p>4.5.5.1.2 Pressure in a fluid 2 (HT only)</p> <p>The pressure due to a column of liquid can be calculated using the equation:</p> <p>pressure = height of the column x density of the liquid x gravitational field strength</p> $p = h \rho g$ <p>pressure, p, in pascals, Pa height of the column, h, in metres, m density, ρ, in kilograms per metre cubed, kg/m³ gravitational field strength, g, in newtons per kilogram, N/kg (In any calculation the value of the gravitational field strength (g) will be given.)</p> <p style="color: red;">Students should be able to explain why, in a liquid, pressure at a point increases with the height of the column of liquid above that point and with the density of the liquid.</p> <p style="color: red;">Students should be able to calculate the differences in pressure at different depths in a liquid.</p> <p>A partially (or totally) submerged object experiences a greater pressure on the bottom surface than on the top surface. This creates a resultant force upwards. This force is called the upthrust.</p> <p style="color: red;">Students should be able to describe the factors which influence floating and sinking.</p>	FO5.2.1 – Pressure in a Fluid	LV (8 mins)	This video develops the equation for the pressure in a fluid and demonstrates how to apply it.
	FO2.2.2 – Pressure Differences in Fluids	LV (9 mins)	This video uses the equation for pressure in a fluid to calculate pressure differences and then develop the ideas of up-thrust and floating.
	FO5.2a – P = hpg	15 Qs (1 hour)	This assessment provides opportunities to apply the equation for pressure in a fluid to a range of situations, including those involving pressure differences and up-thrust.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.5.2 Atmospheric pressure</p> <p>The atmosphere is a thin layer (relative to the size of the Earth) of air round the Earth. The atmosphere gets less dense with increasing altitude.</p> <p>Air molecules colliding with a surface create atmospheric pressure.</p> <p>The number of air molecules (and so the weight of air) above a surface decreases as the height of the surface above ground level increases. So as height increases there is always less air above a surface than there is at a lower height. So atmospheric pressure decreases with an increase in height.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • describe a simple model of the Earth's atmosphere and of atmospheric pressure • explain why atmospheric pressure varies with height above a surface. 	FO5.3 – Atmospheric Pressure	LV (3 mins)	This video describes and explains how the Earth's atmosphere exerts pressure and how this pressure varies with height.
	FO5.3 – Atmospheric Pressure	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of atmospheric pressure.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.6 Forces and motion</p> <p>4.5.6.1 Describing motion along a line</p> <p>4.5.6.1.1 Distance and displacement</p> <p>Distance is how far an object moves. Distance does not involve direction. Distance is a scalar quantity.</p> <p>Displacement includes both the distance an object moves, measured in a straight line from the start point to the finish point and the direction of that straight line. Displacement is a vector quantity.</p> <p>Students should be able to express a displacement in terms of both the magnitude and direction.</p> <p>4.5.6.1.2 Speed</p> <p>Speed does not involve direction. Speed is a scalar quantity.</p> <p>The speed of a moving object is rarely constant. When people walk, run or travel in a car their speed is constantly changing.</p> <p>The speed at which a person can walk, run or cycle depends on many factors including: age, terrain, fitness and distance travelled.</p> <p>Typical values may be taken as: walking~ 1.5 m/s running~ 3 m/s cycling~ 6 m/s.</p> <p>Students should be able to recall typical values of speed for a person walking, running and cycling as well as the typical values of speed for different types of transportation systems.</p> <p>It is not only moving objects that have varying speed. The speed of sound and the speed of the wind also vary.</p> <p>A typical value for the speed of sound in air is 330 m/s.</p> <p>Students should be able to make measurements of distance and time and then calculate speeds of objects.</p> <p>For an object moving at constant speed the distance travelled in a specific time can be calculated using the equation: distance travelled = speed × time $s = vt$ distance, s, in metres, m speed, v, in metres per second, m/s time, t, in seconds, s</p> <p>Students should be able to calculate average speed for non-uniform motion.</p> <p>4.5.6.1.3 Velocity</p> <p>The velocity of an object is its speed in a given direction. Velocity is a vector quantity.</p> <p>Students should be able to explain the vector–scalar distinction as it applies to displacement, distance, velocity and speed.</p> <p>(HT only) Students should be able to explain qualitatively, with examples, that motion in a circle involves constant speed but changing velocity.</p>	<p>FO6.1 – Distance, Displacement, Speed and Velocity</p>	<p>LV (9 mins)</p>	<p>This video explains the meanings of the terms, <i>distance</i>, <i>displacement</i>, <i>speed</i> and <i>velocity</i> and the connections between them.</p>
	<p>FO6.1a – Distance, Displacement, Speed and Velocity</p>	<p>10 Qs (1 hour)</p>	<p>This assessment provides opportunities to apply the ideas of <i>distance</i>, <i>displacement</i>, <i>speed</i> and <i>velocity</i> to a range of situations.</p>
	<p>FO6.2 – Calculating Speed</p>	<p>LV (3 mins)</p>	<p>This video applies the relationship between speed, distance and time to a range of situations.</p>
	<p>FO6.2 – Calculating Speed</p>	<p>10 Qs (1 hour)</p>	<p>This assessment provides opportunities to apply the relationship between speed, distance and time to a range of situations.</p>

Forces

Specification Notes

EzyScience Resources (LV = Lecture Video)

Additional Information

4.5.6.1.4 The distance–time relationship

If an object moves along a straight line, the distance travelled can be represented by a distance–time graph.

The speed of an object can be calculated from the gradient of its distance–time graph.

(HT only) If an object is accelerating, its speed at any particular time can be determined by drawing a tangent and measuring the gradient of the distance–time graph at that time.

Students should be able to draw distance–time graphs from measurements and extract and interpret lines and slopes of distance–time graphs, translating information between graphical and numerical form.

Students should be able to determine speed from a distance–time graph.

[FO6.3 – Distance-Time Graphs](#)

LV (7 mins)

This video explains how a simple graph of distance against time can be used to calculate speed.

[FO6.3 – Distance-Time Graphs](#)

15 Qs (1 hour)

This assessment provides opportunities to interpret distance-time graphs and to use them to calculate speed.

[FO6.4 – D-T Graphs and Accelerated Motion](#)

LV (4 mins)

This video explains how to use the curved distance-time graph representing accelerated motion to determine the speed at an instant.

[FO6.4a – D-T Graphs and Accelerated Motion](#)

10 Qs (1 hour)

This assessment provides opportunities to use distance-time graphs representing accelerated motion to calculate speeds using tangents.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.6.1.5 Acceleration</p> <p>The average acceleration of an object can be calculated using the equation:</p> $\text{acceleration} = \frac{\text{change in velocity}}{\text{time taken}}$ $a = \frac{\Delta v}{t}$ <p>acceleration, a, in metres per second squared, m/s^2 change in velocity, Δv, in metres per second, m/s time, t, in seconds, s</p> <p>An object that slows down is decelerating.</p> <p style="color: red;">Students should be able to estimate the magnitude of everyday accelerations.</p> <p>The acceleration of an object can be calculated from the gradient of a velocity–time graph.</p> <p style="color: red;">Students should be able to:</p> <ul style="list-style-type: none"> • draw velocity–time graphs from measurements and interpret lines and slopes to determine acceleration 	FO7.1 - Acceleration	LV (9 mins)	This video defines acceleration and explains and demonstrates how to calculate it.
	FO7.1 - Acceleration	15 Qs (1 hour)	This assessment provides opportunities to apply the equation for acceleration in a range of situations.
	FO7.2 – Velocity-Time Graphs	LV (13 mins)	This video explains how a graph of velocity against time can be analysed to calculate the acceleration at an instant.
	FO7.2 – Velocity-Time Graphs	10 Qs (1 hour)	This assessment provides opportunities to use velocity-time graphs to calculate acceleration.
<p>4.5.6.1.5 Acceleration</p> <p style="color: red;">Students should be able to:</p> <ul style="list-style-type: none"> • (HT only) interpret enclosed areas in velocity–time graphs to determine distance travelled (or displacement) • (HT only) measure, when appropriate, the area under a velocity–time graph by counting squares. 	FO7.3 - Measuring Distance Using V-T Graphs	LV (8 mins)	This video explains how a velocity-time graph can be used to calculate the distance travelled by an object over a period of time.
	FO7.3a - Measuring Distance Using V-T Graphs	10 Qs (1 hour)	This assessment provides opportunities to use velocity-time graphs to calculate distance travelled.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.6.1.5 Acceleration</p> <p>The following equation applies to uniform acceleration: final velocity² – initial velocity² = 2 × acceleration × distance $v^2 - u^2 = 2 a s$</p> <p>final velocity, v, in metres per second, m/s initial velocity, u, in metres per second, m/s acceleration, a, in metres per second squared, m/s² distance, s, in metres, m</p> <p>Near the Earth’s surface any object falling freely under gravity has an acceleration of about 9.8 m/s².</p> <p>An object falling through a fluid initially accelerates due to the force of gravity. Eventually the resultant force will be zero and the object will move at its terminal velocity.</p>	<p>FO7.4 – $v^2 - u^2 = 2as$</p>	<p>LV (10 mins)</p>	<p>This video explains and demonstrates how to use the equation $v^2 - u^2 = 2as$ to calculate unknown values of speed, distance and acceleration.</p>
	<p>FO7.4 – $v^2 - u^2 = 2as$</p>	<p>10 Qs (1 hour)</p>	<p>This assessment provides opportunities to use the equation $v^2 - u^2 = 2as$ to calculate unknown values of speed, distance and acceleration.</p>

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.6.2 Forces, accelerations and Newton’s Laws of motion</p> <p>4.5.6.2.1 Newton’s First Law</p> <p>Newton’s First Law:</p> <p>If the resultant force acting on an object is zero and:</p> <ul style="list-style-type: none"> the object is stationary, the object remains stationary the object is moving, the object continues to move at the same speed and in the same direction. So the object continues to move at the same velocity. <p>So, when a vehicle travels at a steady speed the resistive forces balance the driving force.</p> <p>So, the velocity (speed and/or direction) of an object will only change if a resultant force is acting on the object.</p> <p style="color: red;">Students should be able to apply Newton’s First Law to explain the motion of objects moving with a uniform velocity and objects where the speed and/or direction changes.</p> <p>(HT only) The tendency of objects to continue in their state of rest or of uniform motion is called inertia.</p>	FO8.1 –Newton’s 1st Law	LV (5 mins)	This video states Newton 1 st law of motion and discusses its consequences.
	FO8.1a –Newton’s 1st Law	10 Qs (30 mins)	<p>This assessment provides opportunities to apply Newton’s 1st law to a range of situations to predict the outcomes of applying multiple forces to objects.</p>
<p>4.5.6.2.2 Newton’s Second Law</p> <p>Newton’s Second Law:</p> <p>The acceleration of an object is proportional to the resultant force acting on the object, and inversely proportional to the mass of the object.</p> <p>As an equation: resultant force = mass × acceleration</p> $F = m a$ <p>force, F, in newtons, N</p> <p>mass, m, in kilograms, kg</p> <p>acceleration, a, in metres per second squared, m/s²</p> <p style="color: red;">Students should be able to estimate the speed, accelerations and forces involved in large accelerations for everyday road transport.</p> <p style="color: red;">Students should recognise and be able to use the symbol that indicates an approximate value or approximate answer, ~</p>	FO8.2 – Newton’s 2nd Law (Theory)	LV (6 mins)	This video states Newton’s 2 nd law of motion and discusses its consequences, linking the acceleration of an object to its mass and the resultant force acting on it.
	FO8.2 – Newton’s 2nd Law (Theory)	15 Qs (1 hour)	<p>This assessment provides opportunities to apply Newton’s 2nd law to a range of situations.</p>

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>Required practical activity 7: investigate the effect of varying the force on the acceleration of an object of constant mass, and the effect of varying the mass of an object on the acceleration produced by a constant force.</p>	FO8.3.1 – Measuring Force and Acceleration	LV (13 mins)	This video compares possible methods to apply a force to an object and then to measure the resulting acceleration.
	FO8.3.2 – Force and Acceleration Experiment	LV (21 mins)	This video demonstrates and explains one method to investigate the relationship between the resultant force on an object and the resulting acceleration.
	FO8.3.3 – Mass and Acceleration	LV (10 mins)	This video demonstrates and explains one method to investigate the effect on the acceleration caused by a force of changing the mass of the object.
	FO8.3a – Newton’s 2nd Law (Experiment)	15 Qs (90 mins)	This assessment provides opportunities to collect, analyse and evaluate the results from experiments to investigate the relationship between force, mass and acceleration.
	FO8.3b – Newton’s 2nd Law (Experiment)	10 Qs (1 hour)	This assessment provides opportunities to analyse and evaluate the results from experiments to investigate the relationship between force, mass and acceleration.
	FO8.4 - Inertia	LV (5 mins)	This video defines inertia and explains how it can be calculated.
<p>4.5.6.2.2 Newton’s Second Law</p> <p>(HT only) Students should be able to explain that:</p> <ul style="list-style-type: none"> • inertial mass is a measure of how difficult it is to change the velocity of an object • inertial mass is defined as the ratio of force over acceleration. 	FO8.4a - Inertia	10 Qs (30 mins)	This assessment provides opportunities to apply Newton’s 2nd law to calculate inertial mass.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.6.2.3 Newton's Third Law</p> <p>Newton's Third Law: Whenever two objects interact, the forces they exert on each other are equal and opposite.</p> <p>Students should be able to apply Newton's Third Law to examples of equilibrium situations.</p>	FO8.5 – Newton's 3rd Law	LV (6 mins)	This video states Newton's 3 rd law of motion and applies it to some every-day situations.
	FO8.5 – Newton's 3rd Law	10 Qs (1 hour)	This assessment provides opportunities to apply Newton's 2 nd and 3 rd laws to a range of situations.
<p>4.5.6.1.5 Acceleration</p> <p>An object falling through a fluid initially accelerates due to the force of gravity. Eventually the resultant force will be zero and the object will move at its terminal velocity.</p>	FO8.6 – Falling Objects and Terminal Velocity	LV (9 mins)	This video explains how air resistance interacts with weight to cause objects eventually to fall at a constant speed (terminal velocity)
	FO8.6a – Falling Objects and Terminal Velocity	10 Qs (30 mins)	This assessment provides opportunities to apply Newton's 2 nd law to situations involving terminal velocity.
<p>4.5.6.1.5 Acceleration</p> <p>An object falling through a fluid initially accelerates due to the force of gravity. Eventually the resultant force will be zero and the object will move at its terminal velocity.</p> <p>(Physics only) Students should be able to:</p> <ul style="list-style-type: none"> • draw and interpret velocity–time graphs for objects that reach terminal velocity • interpret the changing motion in terms of the forces acting. 	FO8.7 – Explaining Terminal Velocity Using V-T Graphs	LV (8 mins)	This video explains the relationship between the motion of an object falling through the air to the velocity-time graph representing that motion.
	FO8.7 a– Explaining Terminal Velocity Using V-T Graphs	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of how velocity-time graphs can be used to explain how terminal velocity occurs.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.6.3 Forces and braking</p> <p>4.5.6.3.2 Reaction time</p> <p>Reaction times vary from person to person. Typical values range from 0.2 s to 0.9 s.</p> <p>A driver's reaction time can be affected by tiredness, drugs and alcohol. Distractions may also affect a driver's ability to react.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • explain methods used to measure human reaction times and recall typical results • interpret and evaluate measurements from simple methods to measure the different reaction times of students • evaluate the effect of various factors on thinking distance based on given data. 	FO9.1 – Reaction Time and Thinking Distance	LV (6 mins)	This video discusses the factors that affect reaction time in humans and the impact this has on thinking distance. It also looks at ways to measure reaction time and how the results can be analysed.
	FO9.1a – Reaction Time and Thinking Distance	10 Qs (30 mins)	This assessment provides opportunities to analyse and evaluate results from experiments on reaction time and aims to consolidate the knowledge and understanding of the link between reaction time and thinking distance.
<p>4.5.6.3.3 Factors affecting braking distance 1</p> <p>The braking distance of a vehicle can be affected by adverse road and weather conditions and poor condition of the vehicle.</p> <p>Adverse road conditions include wet or icy conditions. Poor condition of the vehicle is limited to the vehicle's brakes or tyres.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • explain the factors which affect the distance required for road transport vehicles to come to rest in emergencies, and the implications for safety • estimate how the distance required for road vehicles to stop in an emergency varies over a range of typical speeds. <p>4.5.6.3.4 Factors affecting braking distance 2</p> <p>When a force is applied to the brakes of a vehicle, work done by the friction force between the brakes and the wheel reduces the kinetic energy of the vehicle and the temperature of the brakes increases.</p> <p>The greater the speed of a vehicle the greater the braking force needed to stop the vehicle in a certain distance.</p> <p>The greater the braking force the greater the deceleration of the vehicle. Large decelerations may lead to brakes overheating and/or loss of control.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • explain the dangers caused by large decelerations • (HT only) estimate the forces involved in the deceleration of road vehicles in typical situations on a public road. 	FO9.2 – Braking Distance	LV (3 mins)	This video discusses the process of a car braking and the factors that affect braking distance.
	FO9.2a – Braking Distance	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the process of a car braking.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.6.3 Forces and braking</p> <p>4.5.6.3.1 Stopping distance</p> <p>The stopping distance of a vehicle is the sum of the distance the vehicle travels during the driver's reaction time (thinking distance) and the distance it travels under the braking force (braking distance). For a given braking force the greater the speed of the vehicle, the greater the stopping distance.</p>	FO9.3 – Stopping Distance	LV (3 mins)	This video defines stopping distance and discusses the factors that affect it.
	FO9.3a – Stopping Distance	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the factors that affect stopping distance.
<p>4.5.6.3.1 Stopping distance</p> <p>(Physics only) Students should be able to estimate how the distance for a vehicle to make an emergency stop varies over a range of speeds typical for that vehicle.</p> <p>(Physics only) Students will be required to interpret graphs relating speed to stopping distance for a range of vehicles.</p>	FO9.4 – Interpreting Stopping Distance Graphs	LV (3 mins)	This video explains and illustrates how to make use of complex data to make important decisions.
	FO9.4a – Interpreting Stopping Distance Graphs	10 Qs (1 hour)	This assessment provides opportunities to apply and practise key data analysis skills to interpret complex data on stopping distances.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.7 Momentum (HT only) 4.5.7.1</p> <p>Momentum is defined by the equation: momentum = mass × velocity</p> $p = m v$ <p>momentum, p, in kilograms metre per second, kg m/s mass, m, in kilograms, kg velocity, v, in metres per second, m/s</p>	FO10.1 - Momentum	LV (6 mins)	This video defines momentum and explains and demonstrates how to calculate it in a range of situations.
	FO10.1a - Momentum	10 Qs (30 mins)	This assessment provides opportunities to practise using the equation for momentum, including in situations involving systems of objects.
<p>4.5.7.2 Conservation of momentum</p> <p>In a closed system, the total momentum before an event is equal to the total momentum after the event. This is called conservation of momentum.</p> <p>Students should be able to use the concept of momentum as a model to:</p> <ul style="list-style-type: none"> • describe and explain examples of momentum in an event, such as a collision • (physics only) complete calculations involving an event, such as the collision of two objects. 	FO10.2 – Conservation of Momentum	LV (5 mins)	This video explains how momentum is conserved in collisions and illustrates the conservation of momentum in a range of situations.
	FO10.2a – Conservation of Momentum	10 Qs (1 hour)	This assessment provides opportunities to practise applying the principle of conservation of momentum to a range of situations.
	FO10.3 – Advanced Momentum Calculations	LV (9 mins)	This video explains and demonstrates how to apply the principle of conservation of momentum to a range of situations involving objects moving in opposite directions.
	FO10.3a – Advanced Momentum Calculations	10 Qs (1 hour)	This assessment provides opportunities to practise applying the principle of conservation of momentum to complex situations.

Forces

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.5.7.3 Changes in momentum (physics only)</p> <p>When a force acts on an object that is moving, or able to move, a change in momentum occurs.</p> <p>The equations $F = m \times a$ and $a = \frac{v-u}{t}$ combine to give the equation $F = m \frac{\Delta v}{\Delta t}$ where $m\Delta v$ = change in momentum ie force equals the rate of change of momentum.</p> <p>Students should be able to explain safety features such as: air bags, seat belts, gymnasium crash mats, cycle helmets and cushioned surfaces for playgrounds with reference to the concept of rate of change of momentum.</p> <p>Students should be able to apply equations relating force, mass, velocity and acceleration to explain how the changes involved are inter-related.</p>	FO10.4 – Changes in Momentum	LV (5 mins)	This video develops the principle of conservation of momentum into a relationship between force and the rate of change of momentum and illustrates that relationship with a range of examples.
	FO10.4a – Changes in Momentum	10 Qs (1 hour)	This assessment provides opportunities to apply the relationship between force and the rate of change of momentum in a range of situations.
	FO10.5 – Momentum and Safety	LV (4 mins)	This video applies the relationship between force and the rate of change of momentum to explain how damage is reduced in collisions,
	FO10.5 – Momentum and Safety	10 Qs (1 hour)	This assessment provides opportunities to apply the relationship between force and the rate of change of momentum to a range of situations relating to safety in collisions.

Waves

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.6.1 Waves in air, fluids and solids</p> <p>4.6.1.1 Transverse and longitudinal waves</p> <p>Waves may be either transverse or longitudinal.</p> <p>The ripples on a water surface are an example of a transverse wave.</p> <p>Longitudinal waves show areas of compression and rarefaction. Sound waves travelling through air are longitudinal.</p> <p style="color: red;">Students should be able to describe the difference between longitudinal and transverse waves.</p> <p style="color: red;">Students should be able to describe evidence that, for both ripples on a water surface and sound waves in air, it is the wave and not the water or air itself that travels.</p> <p>4.6.1.2 Properties of waves</p> <p style="color: red;">Students should be able to describe wave motion in terms of their amplitude, wavelength, frequency and period.</p> <p>The amplitude of a wave is the maximum displacement of a point on a wave away from its undisturbed position.</p> <p>The wavelength of a wave is the distance from a point on one wave to the equivalent point on the adjacent wave. The frequency of a wave is the number of waves passing a point each second.</p> $period = \frac{1}{frequency}$ $T = 1/f$ <p>period, T, in seconds, s</p> <p>frequency, f, in hertz, Hz</p> <p>The wave speed is the speed at which the energy is transferred (or the wave moves) through the medium.</p> <p>All waves obey the wave equation:</p> <p>wave speed = frequency × wavelength</p> $v = f \lambda$ <p>wave speed, v, in metres per second, m/s</p> <p>frequency, f, in hertz, Hz</p> <p>wavelength, λ, in metres, m</p> <p style="color: red;">Students should be able to:</p> <ul style="list-style-type: none"> • identify amplitude and wavelength from given diagrams • describe a method to measure the speed of sound waves in air • describe a method to measure the speed of ripples on a water surface. <p style="color: red;">(Physics only) Students should be able to show how changes in velocity, frequency and wavelength, in transmission of sound waves from one medium to another, are inter-related.</p>	WA1.1.1 – Transverse and Longitudinal Waves	LV (5 mins)	This video defines a wave and then compares transverse waves to longitudinal waves.
	WA1.1.2 – Wavelength and Amplitude	LV (3 mins)	This video defines wavelength and amplitude for transverse and longitudinal waves.
	WA1.1.3 – Period and Frequency	LV (3 mins)	This video defines the period and frequency of a wave and explains the relationship between them.
	WA1.1.4 – $v = f\lambda$	LV (6 mins)	This video explains the relationship between the speed, wavelength and frequency of a wave and illustrates its use in a range of examples.
	WA1.1a - Waves	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of transverse and longitudinal waves.
	WA1.2 – Change of Medium	LV (5 mins)	This video explains what happens to the speed, wavelength and frequency of a wave as it passes from one medium to another.
	WA1.2a – Change of Medium	10 Qs (1 hour)	This assessment provides opportunities to apply the equation $v = f \lambda$ to explain what happens when waves cross boundaries.
	WA1.3 – Measuring the Speed of Waves	LV (4 mins)	This video explains how to measure the speed of a wave and illustrates this with a range of examples.
	WA1.3a – Measuring the Speed of Waves	10 Qs (1 hour)	This assessment provides opportunities to practise using appropriate information to calculate the speed of a wave.

Waves

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>Required practical activity 8: make observations to identify the suitability of apparatus to measure the frequency, wavelength and speed of waves in a ripple tank and waves in a solid and take appropriate measurements.</p>	WA1.4.1 – Measuring v, f and λ for Waves on a Wire	LV (11 mins)	This video describes and explains an experiment to measure the speed of a wave on a wire.
	WA1.4.2 – Measuring v, f and λ for Waves on Water	LV (8 mins)	This video describes and explains an experiment to measure the speed of a wave on the surface of water.
	WA1.4a – Measuring v, f and λ	10 Qs (1 hour)	This assessment provides opportunities to collect, analyse and evaluate results in experiments to find the speeds of waves.
<p>4.6.1.3 Reflection of waves (physics only) Waves can be reflected at the boundary between two different materials. Waves can be absorbed or transmitted at the boundary between two different materials. Students should be able to construct ray diagrams to illustrate the reflection of a wave at a surface. Students should be able to describe the effects of reflection, transmission and absorption of waves at material interfaces.</p> <p>4.6.2.2 Properties of electromagnetic waves 1 Students should be able to construct ray diagrams to illustrate the refraction of a wave at the boundary between two different media.</p>	WA1.5.1 – Waves at a Boundary	LV (6 mins)	This video explains the wave phenomena of reflection and refraction.
	WA1.5.2 – Reflection (Ray Diagrams)	LV (5 mins)	This video explains how to draw and interpret ray diagrams that show a wave being reflected.
	WA1.5a – Waves at a Boundary	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of what happens when waves are incident on a boundary.
<p>Required practical activity 9 (physics only): investigate the reflection of light by different types of surface and the refraction of light by different substances.</p>	WA1.6 – Investigating Reflection and Refraction	LV (10 mins)	This video describes an experiment to investigate how changing the angle incidence affects the angles of reflection and refraction.
	WA1.6a – Investigating Reflection and Refraction	10 Qs (1 hour)	This assessment provides opportunities to collect, analyse and evaluate results from experiments that investigate reflection and refraction.

Waves

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.6.1.4 Sound waves (physics only) (HT only)</p> <p>Sound waves can travel through solids causing vibrations in the solid.</p> <p>Within the ear, sound waves cause the ear drum and other parts to vibrate which causes the sensation of sound. The conversion of sound waves to vibrations of solids works over a limited frequency range. This restricts the limits of human hearing.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • describe, with examples, processes which convert wave disturbances between sound waves and vibrations in solids. Examples may include the effect of sound waves on the ear drum • explain why such processes only work over a limited frequency range and the relevance of this to human hearing. Students should know that the range of normal human hearing is from 20 Hz to 20 kHz. <p>4.6.1.5 Waves for detection and exploration (physics only) (HT only)</p> <p>Students should be able to explain in qualitative terms, how the differences in velocity, absorption and reflection between different types of wave in solids and liquids can be used both for detection and exploration of structures which are hidden from direct observation.</p> <p>Ultrasound waves have a frequency higher than the upper limit of hearing for humans. Ultrasound waves are partially reflected when they meet a boundary between two different media. The time taken for the reflections to reach a detector can be used to determine how far away such a boundary is. This allows ultrasound waves to be used for both medical and industrial imaging.</p> <p>Seismic waves are produced by earthquakes. P-waves are longitudinal, seismic waves. P-waves travel at different speeds through solids and liquids. S-waves are transverse, seismic waves. S-waves cannot travel through a liquid. P-waves and S-waves provide evidence for the structure and size of the Earth's core.</p> <p>Echo sounding, using high frequency sound waves is used to detect objects in deep water and measure water depth.</p> <p>Students should be aware that the study of seismic waves provided new evidence that led to discoveries about parts of the Earth which are not directly observable.</p>	WA2.1.1 – Propagation and Detection of Sound Waves	LV (6 mins)	This video explains how sound propagates and how the human ear works to detect sound.
	WA2.1.2 – Properties and Uses of Ultrasound	LV (7 mins)	This video define ultrasound and explains how it is used in some common applications.
	WA2.1.3 – Seismic Waves	LV (6 mins)	This video discusses the production and propagation of seismic waves.
	WA2.1.4 – Echo Sounding	LV (3 mins)	This video describes and explains the process of echo sounding.
	WA2.1a – Mechanical Waves	10 Qs (1 hour)	This assessment provides opportunities to apply key knowledge of wave properties to a range of situations involving mechanical waves.

Waves

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.6.2 Electromagnetic waves</p> <p>4.6.2.1 Types of electromagnetic waves</p> <p>Electromagnetic waves are transverse waves that transfer energy from the source of the waves to an absorber.</p> <p>Electromagnetic waves form a continuous spectrum and all types of electromagnetic wave travel at the same velocity through a vacuum (space) or air.</p> <p>The waves that form the electromagnetic spectrum are grouped in terms of their wavelength and their frequency. Going from long to short wavelength (or from low to high frequency) the groups are: radio, microwave, infrared, visible light (red to violet), ultraviolet, X-rays and gamma rays.</p> <p>Our eyes only detect visible light and so detect a limited range of electromagnetic waves.</p> <p>Students should be able to give examples that illustrate the transfer of energy by electromagnetic waves.</p> <p>4.6.2.4 Uses and applications of electromagnetic waves</p> <p>Electromagnetic waves have many practical applications. For example:</p> <ul style="list-style-type: none"> • radio waves – television and radio • microwaves – satellite communications, cooking food • infrared – electrical heaters, cooking food, infrared cameras • visible light – fibre optic communications • ultraviolet – energy efficient lamps, sun tanning • X-rays and gamma rays – medical imaging and treatments. <p>(HT only) Students should be able to give brief explanations why each type of electromagnetic wave is suitable for the practical application.</p>	WA2.2.1 – The Electromagnetic Spectrum	LV (9 mins)	This video compares and contrasts the electromagnetic waves from different sections of the electromagnetic spectrum.
	WA2.2.2 – The Uses and Applications of Electromagnetic Waves	LV (10 mins)	This video describes and explains some of the common uses of electromagnetic waves.
	WA2.2a – The Electromagnetic Spectrum	10 Qs (1 hour)	This assessment provides opportunities to apply key knowledge of wave properties to explain the properties and uses of the electromagnetic spectrum.
<p>Required practical activity 10: investigate how the amount of infrared radiation absorbed or radiated by a surface depends on the nature of that surface.</p>	WA2.3.1 – Investigating the Emission of IR	LV (10 mins)	This video describes and explains an experiment to investigate the emission of infrared radiation.
	WA2.3.2 – Investigating the Absorption of IR	LV (7 mins)	This video describes and explains an experiment to investigate the absorption of infrared radiation.
	WA2.3a – The Absorption and Emission of IR	10 Qs (1 hour)	This assessment provides opportunities to collect, analyse and evaluate results from experiments that investigate the emission and absorption of IR.



Waves

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.6.3 Black body radiation (physics only)</p> <p>4.6.3.1 Emission and absorption of infrared radiation</p> <p>All bodies (objects), no matter what temperature, emit and absorb infrared radiation. The hotter the body, the more infrared radiation it radiates in a given time.</p> <p>A perfect black body is an object that absorbs all of the radiation incident on it. A black body does not reflect or transmit any radiation.</p> <p>Since a good absorber is also a good emitter, a perfect black body would be the best possible emitter.</p> <p>4.6.3.2 Perfect black bodies and radiation</p> <p>Students should be able to explain:</p> <ul style="list-style-type: none"> • that all bodies (objects) emit radiation • that the intensity and wavelength distribution of any emission depends on the temperature of the body. 	WA2.4 – The Emission of IR and Temperature	LV (5 mins)	This video discusses the link between the emission of IR from a body and the temperature of the body.
	WA2.4a – The Emission of IR and Temperature	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the link between the emission of IR from a body and its temperature.
<p>4.6.3.2 Perfect black bodies and radiation (physics only)</p> <p>(HT only) A body at constant temperature is absorbing radiation at the same rate as it is emitting radiation. The temperature of a body increases when the body absorbs radiation faster than it emits radiation.</p> <p>(HT only) The temperature of the Earth depends on many factors including: the rates of absorption and emission of radiation, reflection of radiation into space.</p> <p>(HT only) Students should be able to explain how the temperature of a body is related to the balance between incoming radiation absorbed and radiation emitted, using everyday examples to illustrate this balance, and the example of the factors which determine the temperature of the Earth.</p> <p>(HT only) Students should be able to use information, or draw/ interpret diagrams to show how radiation affects the temperature of the Earth's surface and atmosphere.</p>	WA2.5 – Thermal Equilibrium and IR	LV (6 mins)	This video explains how the balance between the absorption and emission of IR results in thermal equilibrium and discusses how greenhouse gases affect the temperature of the Earth.
	WA2.5a – Thermal Equilibrium and IR	10 Qs (1 hour)	This assessment provides opportunities to apply key ideas of the properties of waves and key data analysis skills to a range of situations involving infra red radiation.

Waves

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.6.2.2 Properties of electromagnetic waves 1</p> <p>(HT only) Different substances may absorb, transmit, refract or reflect electromagnetic waves in ways that vary with wavelength.</p> <p>(HT only) Some effects, for example refraction, are due to the difference in velocity of the waves in different substances.</p> <p style="color: red;">Students should be able to construct ray diagrams to illustrate the refraction of a wave at the boundary between two different media.</p> <p style="color: red;">(HT only) Students should be able to use wave front diagrams to explain refraction in terms of the change of speed that happens when a wave travels from one medium to a different medium.</p> <p>4.6.2.3 Properties of electromagnetic waves 2</p> <p>(HT only) Radio waves can be produced by oscillations in electrical circuits.</p> <p>(HT only) When radio waves are absorbed they may create an alternating current with the same frequency as the radio wave itself, so radio waves can themselves induce oscillations in an electrical circuit.</p>	WA2.6.1 – Effects of Wavelength and Speed on EM Waves	LV (7 mins)	This video discusses how the behavior of electromagnetic waves at boundaries is affected by their wavelength and speed.
	WA2.6.2 – Radio Waves	LV (3 mins)	This video describes the properties and production of radio waves and explains how they are used to communicate.
	WA2.6 – Effects of Wavelength and Speed on EM Waves and Radio Waves	10 Qs (1 hour)	This assessment provides opportunities to apply key mathematical skills, including the use of standard form, to situations involving radio waves and the behavior of electromagnetic waves at boundaries.
<p>4.6.2.3 Properties of electromagnetic waves 2</p> <p>Changes in atoms and the nuclei of atoms can result in electromagnetic waves being generated or absorbed over a wide frequency range. Gamma rays originate from changes in the nucleus of an atom.</p> <p>Ultraviolet waves, X-rays and gamma rays can have hazardous effects on human body tissue. The effects depend on the type of radiation and the size of the dose. Radiation dose (in sieverts) is a measure of the risk of harm resulting from an exposure of the body to the radiation.</p> <p>1000 millisieverts (mSv) = 1 sievert (Sv)</p> <p style="color: red;">Students will not be required to recall the unit of radiation dose.</p> <p style="color: red;">Students should be able to draw conclusions from given data about the risks and consequences of exposure to radiation.</p> <p>Ultraviolet waves can cause skin to age prematurely and increase the risk of skin cancer. X-rays and gamma rays are ionising radiation that can cause the mutation of genes and cancer.</p>	WA2.7.1 – Waves from Atoms and Nuclei	LV (7 mins)	This video explains how electromagnetic waves can be produced by changes in atoms and nuclei.
	WA2.6.7.2 – The Hazards of EM Radiation	LV (8 mins)	This video describes and explains some of the potential hazards caused by exposure to electromagnetic radiation.
	WA2.7a – The Hazards of EM Radiation	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of atomic and nuclear radiations and provides opportunities to practise key mathematical skills in this context.

Waves

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.6.2.5 Lenses (physics only)</p> <p>A lens forms an image by refracting light. In a convex lens, parallel rays of light are brought to a focus at the principal focus. The distance from the lens to the principal focus is called the focal length.</p> <p>Ray diagrams are used to show the formation of images by convex and concave lenses.</p> <p>The image produced by a convex lens can be either real or virtual.</p> <p>The image produced by a concave lens is always virtual.</p> <p>Students should be able to construct ray diagrams to illustrate the similarities and differences between convex and concave lenses.</p> <p>The magnification produced by a lens can be calculated using the equation:</p> $\text{magnification} = \frac{\text{image height}}{\text{object height}}$ <p>Magnification is a ratio and so has no units.</p> <p>Image height and object height should both be measured in either mm or cm.</p> <p>In ray diagrams a convex lens will be represented by: </p> <p>A concave lens will be represented by: </p>	WA3.1.1 – Convex Lenses	LV (11 mins)	This video describes and explains the action of a convex lens.
	WA3.1.2 – Concave Lenses	LV (8 mins)	This video describes and explains the action of a concave lens.
	WA3.1.3 - Magnification	LV (7 mins)	This video defines magnification and explains how it can be calculated.
	WA3.1a - Lenses	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of lenses and provides opportunities to analyse, evaluate and draw ray diagrams involving lenses.

Waves

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.6.2.6 Visible light (physics only)</p> <p>Each colour within the visible light spectrum has its own narrow band of wavelength and frequency.</p> <p>Reflection from a smooth surface in a single direction is called specular reflection. Reflection from a rough surface causes scattering: this is called diffuse reflection.</p> <p>Colour filters work by absorbing certain wavelengths (and colour) and transmitting other wavelengths (and colour).</p> <p>The colour of an opaque object is determined by which wavelengths of light are more strongly reflected. Wavelengths that are not reflected are absorbed. If all wavelengths are reflected equally the object appears white. If all wavelengths are absorbed the objects appears black.</p> <p>Objects that transmit light are either transparent or translucent.</p> <p>Students should be able to explain:</p> <ul style="list-style-type: none"> • how the colour of an object is related to the differential absorption, transmission and reflection of different wavelengths of light by the object • the effect of viewing objects through filters or the effect on light of passing through filters • why an opaque object has a particular colour. 	WA3.2.1 – Wavelength and Colour	LV (7 mins)	This video discusses the effect of wavelength on the colour of visible light.
	WA3.2.2 – Specular and Diffuse Reflection	LV (4 mins)	This video explains how the reflection of a beam of light depends on the nature (rough or smooth) of the reflecting surface.
	WA3.2.3 – The Colours of Opaque Objects	LV (3 mins)	This video explains how opaque objects are seen as having particular colours.
	WA3.2.4 - Filters	LV (1 min)	This video explains the action of filters on visible light.
	WA3.2a – Visible Light	10 Qs (1 hour)	This assessment aims to consolidate the knowledge and understanding of visible light and provides opportunities to apply key mathematical skills in this context.

Magnetism and Electromagnetism

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.7.1.2 Magnetic fields</p> <p>The region around a magnet where a force acts on another magnet or on a magnetic material (iron, steel, cobalt and nickel) is called the magnetic field.</p> <p>The force between a magnet and a magnetic material is always one of attraction.</p> <p>The strength of the magnetic field depends on the distance from the magnet. The field is strongest at the poles of the magnet.</p> <p>The direction of the magnetic field at any point is given by the direction of the force that would act on another north pole placed at that point. The direction of a magnetic field line is from the north (seeking) pole of a magnet to the south (seeking) pole of the magnet.</p> <p>A magnetic compass contains a small bar magnet. The Earth has a magnetic field. The compass needle points in the direction of the Earth's magnetic field.</p> <p style="color: red;">Students should be able to:</p> <ul style="list-style-type: none"> • describe how to plot the magnetic field pattern of a magnet using a compass • draw the magnetic field pattern of a bar magnet showing how strength and direction change from one point to another • explain how the behaviour of a magnetic compass is related to evidence that the core of the Earth must be magnetic. 	MA1.1.1 - Permanent and Induced Magnetism	LV (7 mins)	This video defines magnets and looks at the differences between permanent and induced magnetism.
	MA1.1.2 – Magnetic Fields	LV (10 mins)	This video defines magnetic fields and demonstrates how they can be represent in diagrams.
	MA1.1a – Magnetic Fields	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of permanent and induced magnetism.

Magnetism and Electromagnetism

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.7.2 The motor effect</p> <p>4.7.2.1 Electromagnetism</p> <p>When a current flows through a conducting wire a magnetic field is produced around the wire. The strength of the magnetic field depends on the current through the wire and the distance from the wire.</p> <p>Shaping a wire to form a solenoid increases the strength of the magnetic field created by a current through the wire. The magnetic field inside a solenoid is strong and uniform.</p> <p>The magnetic field around a solenoid has a similar shape to that of a bar magnet. Adding an iron core increases the strength of the magnetic field of a solenoid. An electromagnet is a solenoid with an iron core.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • describe how the magnetic effect of a current can be demonstrated • draw the magnetic field pattern for a straight wire carrying a current and for a solenoid (showing the direction of the field) • explain how a solenoid arrangement can increase the magnetic effect of the current. <p>(Physics only) Students should be able to interpret diagrams of electromagnetic devices in order to explain how they work.</p>	MA1.2.1 – The Magnetic Fields Around Wires	LV (7 mins)	This video describes the magnetic field around a straight wire due to the current flowing in it and explains how the direction and strength of such a magnetic field can be changed.
	MA1.2.2 – The Magnetic Fields Around Solenoids	LV (7 mins)	This video describes the magnetic field around a solenoid due to the current flowing in it and explains how the direction and strength of such a magnetic field can be changed.
	MA1.2.3 – Electromagnetic Devices	LV (7 mins)	This video applies knowledge of electromagnets to explain how a range of electromagnetic devices work.
	MA1.2a – Electromagnetism	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of electromagnetism.

Magnetism and Electromagnetism

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.7.2.2 Fleming's left-hand rule (HT only)</p> <p>When a conductor carrying a current is placed in a magnetic field the magnet producing the field and the conductor exert a force on each other. This is called the motor effect.</p> <p><i>Students should be able to show that Fleming's left-hand rule represents the relative orientation of the force, the current in the conductor and the magnetic field.</i></p> <p><i>Students should be able to recall the factors that affect the size of the force on the conductor.</i></p> <p>For a conductor at right angles to a magnetic field and carrying a current: force = magnetic flux density × current × length $F = B I l$ force, F, in newtons, N magnetic flux density, B, in tesla, T current, I, in amperes, A (amp is acceptable for ampere) length, l, in metres, m</p> <p>4.7.2.3 Electric motors (HT only)</p> <p>A coil of wire carrying a current in a magnetic field tends to rotate. This is the basis of an electric motor.</p> <p><i>Students should be able to explain how the force on a conductor in a magnetic field causes the rotation of the coil in an electric motor.</i></p>	MA1.3.1 – Fleming's Left Hand Rule	LV (6 mins)	This video explains how to determine the direction of the force acting on a current carrying conductor in a magnetic field and discusses the factors affecting its strength.
	MA1.3.2 – F = BIl	LV (6 mins)	This video states the equation for the force acting on a current carrying conductor and explains and demonstrates how to use it.
	MA1.3.3 – The Electric Motor	LV (7 mins)	This video applies Fleming's left hand rule to explain the action of an electric motor.
	MA1.3a – The Electric Motor	10 Qs	This assessment aims to consolidate the knowledge and understanding of the forces experienced by a conductor carrying an electric current in a magnetic field.

Magnetism and Electromagnetism

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.7.3 Induced potential, transformers and the National Grid (physics only) (HT only)</p> <p>4.7.3.1 Induced potential (HT only)</p> <p>If an electrical conductor moves relative to a magnetic field or if there is a change in the magnetic field around a conductor, a potential difference is induced across the ends of the conductor. If the conductor is part of a complete circuit, a current is induced in the conductor. This is called the generator effect.</p> <p>An induced current generates a magnetic field that opposes the original change, either the movement of the conductor or the change in magnetic field.</p> <p>Students should be able to recall the factors that affect the size of the induced potential difference/induced current.</p> <p>Students should be able to recall the factors that affect the direction of the induced potential difference/induced current.</p> <p>Students should be able to apply the principles of the generator effect in a given context.</p> <p>4.7.3.2 Uses of the generator effect (HT only)</p> <p>The generator effect is used in an alternator to generate ac and in a dynamo to generate dc.</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • explain how the generator effect is used in an alternator to generate ac and in a dynamo to generate dc • draw/interpret graphs of potential difference generated in the coil against time. <p>4.7.2.4 Loudspeakers (physics only) (HT only)</p> <p>Loudspeakers and headphones use the motor effect to convert variations in current in electrical circuits to the pressure variations in sound waves.</p> <p>Students should be able to explain how a moving-coil loudspeaker and headphones work.</p> <p>4.7.3.3 Microphones (HT only)</p> <p>Microphones use the generator effect to convert the pressure variations in sound waves into variations in current in electrical circuits.</p> <p>Students should be able to explain how a moving-coil microphone works.</p>	MA2.1.1 – The Size of an Induced Potential	LV (6 mins)	This video discusses the factors that affect the magnitude of an induced potential when a current-carrying wire moves relative to a magnetic field.
	MA2.1.2 – The Direction of an Induced Potential	LV (7 mins)	This video discusses the factors that affect the direction of an induced potential when a current-carrying wire moves relative to a magnetic field.
	MA2.1a – Induced Potential	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of induced potential.
	MA2.2.1 – Uses of the Generator Effect: Alternators	LV (6 mins)	This video explains how an alternator generates an alternating current.
	MA2.2.2 – Uses of the Generator Effect: Dynamos	LV (7 mins)	This video explains how a dynamo generates a direct current.
	MA2.2.3 – Microphones and Loudspeakers	LV (6 mins)	This video applies knowledge of electromagnetism to explain the actions of microphones and loudspeakers.
	MA2.2a – The Generator Effect	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the generator effect.

Magnetism and Electromagnetism

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.7.3.4 Transformers (HT only)</p> <p>A basic transformer consists of a primary coil and a secondary coil wound on an iron core. Iron is used as it is easily magnetised.</p> <p>Knowledge of laminations and eddy currents in the core is not required.</p> <p>The ratio of the potential differences across the primary and secondary coils of a transformer V_p and V_s depends on the ratio of the number of turns on each coil, n_p and n_s.</p> $\frac{V_p}{V_s} = \frac{N_p}{N_s}$ <p>potential difference, V_p and V_s in volts, V</p> <p>In a step-up transformer $V_s > V_p$</p> <p>In a step-down transformer $V_s < V_p$</p> <p>If transformers were 100 % efficient, the electrical power output would equal the electrical power input.</p> $V_s \times I_s = V_p \times I_p$ <p>Where $V_s \times I_s$ is the power output (secondary coil) and $V_p \times I_p$ is the power input (primary coil).</p> <p>power input and output, in watts, W</p> <p>Students should be able to:</p> <ul style="list-style-type: none"> • explain how the effect of an alternating current in one coil in inducing a current in another is used in transformers • explain how the ratio of the potential differences across the two coils depends on the ratio of the number of turns on each • calculate the current drawn from the input supply to provide a particular power output • apply the equation linking the pds and number of turns in the two coils of a transformer to the currents and the power transfer involved, and relate these to the advantages of power transmission at high potential differences. 	MA2.3.1 – Structure and Action of a Transformer	LV (4 mins)	This video describes and explains the structure and action of a transformer.
	MA2.3.2 – Turns Ratio Equation	LV (7 mins)	This video states and demonstrates the application of the relationship between the numbers of turns in the primary and secondary coils of a transformer and the input and output potential differences.
	MA2.3a – Transformers and the Turns Ratio Equation	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the action of a transformer.
	MA2.4.1 – Step-up and Step-down Transformers	LV (4 mins)	This video discusses the differences between step-up and step-down transformers.
	MA2.4.2 – Input and Output Currents	LV (8 mins)	This video states and explains the relationships between the input and output currents and the input and output potential differences and the numbers of turns on the primary and secondary coils.
	MA2.4a – Transformers and Currents	10 Qs (1 hour)	This assessment provides opportunities to practise the applications of the relationships relating to transformers.

Space Physics

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.8.1 Solar system; stability of orbital motions; satellites (physics only)</p> <p>4.8.1.1 Our solar system</p> <p>Within our solar system there is one star, the Sun, plus the eight planets and the dwarf planets that orbit around the Sun. Natural satellites, the moons that orbit planets, are also part of the solar system.</p> <p>Our solar system is a small part of the Milky Way galaxy.</p> <p>The Sun was formed from a cloud of dust and gas (nebula) pulled together by gravitational attraction.</p> <p>Students should be able to explain:</p> <ul style="list-style-type: none"> • how, at the start of a star's life cycle, the dust and gas drawn together by gravity causes fusion reactions • that fusion reactions lead to an equilibrium between the gravitational collapse of a star and the expansion of a star due to fusion energy. <p>4.8.1.2 The life cycle of a star</p> <p>A star goes through a life cycle. The life cycle is determined by the size of the star.</p> <p>Students should be able to describe the life cycle of a star:</p> <ul style="list-style-type: none"> • the size of the Sun • much more massive than the Sun. <p>Fusion processes in stars produce all of the naturally occurring elements. Elements heavier than iron are produced in a supernova.</p> <p>The explosion of a massive star (supernova) distributes the elements throughout the universe.</p> <p>Students should be able to explain how fusion processes lead to the formation of new elements.</p> <p>4.8.1.3 Orbital motion, natural and artificial satellites</p> <p>Gravity provides the force that allows planets and satellites (both natural and artificial) to maintain their circular orbits.</p> <p>Students should be able to describe the similarities and distinctions between the planets, their moons, and artificial satellites.</p> <p>(HT only) Students should be able to explain qualitatively how:</p> <ul style="list-style-type: none"> • for circular orbits, the force of gravity can lead to changing velocity but unchanged speed • for a stable orbit, the radius must change if the speed changes. 	<p>SP1.1.1 – The Structure and Location of the Solar System</p>	<p>LV (10 mins)</p>	<p>This video outlines the structure of our solar system.</p>
	<p>SP1.1.2 – Natural and Artificial Satellites</p>	<p>LV (8 mins)</p>	<p>This video explains how objects orbit larger orbits in space.</p>
	<p>SP1.1.3 – The Life Cycle of a Star</p>	<p>LV (7 mins)</p>	<p>This video describes the life cycle of a star and explains how it might vary according to the size of the star.</p>
	<p>SP1.1a – Solar System, Stars and Satellites</p>	<p>10 Qs (30 mins)</p>	<p>This assessment aims to consolidate the knowledge and understanding of our solar system.</p>

Space Physics

Specification Notes	EzyScience Resources (LV = Lecture Video)		Additional Information
<p>4.8.2 Red-shift (physics only)</p> <p>There is an observed increase in the wavelength of light from most distant galaxies. The further away the galaxies, the faster they are moving and the bigger the observed increase in wavelength. This effect is called red-shift.</p> <p>The observed red-shift provides evidence that space itself (the universe) is expanding and supports the Big Bang theory.</p> <p>The Big Bang theory suggests that the universe began from a very small region that was extremely hot and dense.</p> <p>Since 1998 onwards, observations of supernovae suggest that distant galaxies are receding ever faster.</p> <p>Students should be able to explain:</p> <ul style="list-style-type: none"> • qualitatively the red-shift of light from galaxies that are receding • that the change of each galaxy's speed with distance is evidence of an expanding universe • how red-shift provides evidence for the Big Bang model • how scientists are able to use observations to arrive at theories such as the Big Bang theory • that there is still much about the universe that is not understood, for example dark mass and dark energy. 	SP1.2.1 – Red-Shift	LV (7 mins)	This video explains how red-shift occurs and its significance for the study of space.
	SP1.2.2 – The Big Bang Theory	LV (3 mins)	This video describes the Big Bang theory and explains the evidence that lead to it.
	SP1.2.3 – New Ideas	LV (4 mins)	This video discusses some of the theories that have been put forward about the future of the universe.
	SP1.2a – Red-Shift and the Big Bang	10 Qs (30 mins)	This assessment aims to consolidate the knowledge and understanding of the universe.